















1D & 2D

Windows

IP67

CMOS

8.0" screen

Touchscreen













8000 Micro SD

Micro USB mAh

Camera

1.2M drop

3G

WIFI Dual Band

Bluetooth

4.0



GPS

Warranty 2 Years



Features

Integrated barcode scanner.

With built-in barcode scanners, look to the NQuire 800 Plus as the perfect solution for your business. Work faster, more efficiently and more effectively.

Impact protection.

Rigorously designed and drop tested up to 1.2M, the NQuire 800 Plus is protected from accidental bumps with reinforced edge and corner protection.

IP67 Certified.

For complete peace-of-mind, IP67 certification ensures that the device is dust proof and can be submerged into water up to 1 meter for 30 minutes.

Connectivity assured.

Always keep connected wherever your team is based with

Bluetooth 4.0, a 3G micro-SIM card slot and Wi-Fi 802.11 ac/a/b/g/n connectivity. GPS tracking lets your team use location-based apps for increased accuracy and security wherever they are.

Easy-hold hand strap.

The NQuire 800 Plus easy-hold hand strap has a fully removable back plate that securely screws into the tablets main body. With 360-degree rotation, users can position their tablet in either vertical or horizontal orientation for ease of use.

Built-in Stylus.

A discreet built-in capacitive stylus provides precision navigation and is designed to aid the function of any workforce.





Suggested industries











Agriculture Automotive

Industrial

NQuire 800 Plus Technical specifications



- 6	1	ьf	~	er eron	-	n	~	-

Operating System	64Bit Windows 10 Pro
Processor	1.44 GHz up to 1.92 GHz, 64-Bit Quad Core; Chip: Intel Atom® x5-Z8350
Memory RAM	4GB RAM
Memory Flash	64GB ROM
Memory Storage Expansion (max.)	Up to 128GB (supports SDHC/SDXC cards)

Data Capture

1D	All major 1D symbologies, including Code 128, EAN-13, EAN-8, Code 39, UPC-A, UPC-E, Codabar,
	Interleaved 2 of 5, ITF-6, ITF-14, ISBN, Code 93, UCC / EAN-128, GS1 Databar, Matrix 2 of 5, Code 11,
	Industrial 2 of 5, Standard 2 of 5, Plessey, MSI-Plessey.

2D All major 2D symbologies, including PDF417, Data Matrix ECC200 / 000 / 050 / 080 / 100 / 140, QR Code.

Physical

Dimensions (mm)

Weight	875g
Display	8" IPS, 800 x 1280 pixels, luminance: 380cd/m2(typical value), contrast ratio: 600:1(min), 800:1(typical), view
	angle 1°~ 179°

Keypad 2x Capacitive shortcut keys (front bezel)

Interfaces Micro USB

Battery Type 8,000 mAh Lithium-polymer

Expected Battery Life 5-7 hours; 250 Hours Standby

235 * 147 * 22mm

Current @ 9VDC Operating 700mA (typical), 1.7A (max.)

Current @ 9VDC Standby 45mA (typical), 75mA (max.)

Sensors Gravity Acceleration Sensor (G-Sensor)

Power over Ethernet 802.3af

Audio Jack 3.5mm Audio jack

Pogo Pin √

Expansion Slot up to 128GB (supports SDHC/SDXC cards)

Camera 5 MP with Autofocus

Video HD (1280 x 720) @ 30FPS

Environmental

Operating Temperature	-5°C to 40°C
Storage Temperature	-20°C to 60°C
Drop	1.2m
IP Rating	IP67

Wireless

WWAN RADIO	3G Micro SIM (3FF); Band 900 / 2100 MHz
WLAN RADIO	802.11 ac/a/b/g/n, 2.4Ghz and 5Ghz, WEP, WPA2-Personal AES, WPA2-Enterprise AES, 8-2.11x WEP with
	FAP method PEAP FAP-SIM FAP-TTI S

Newland EMEA HQ

+31 (0) 345 87 00 33

info@newland-id.com

newland-id.com

Feel free to contact us or a partner near you

visit newland-id.com/partners

Specifications are subject to change without notice

© Newland EMEA 2021, all rights reserved



NQuire 800 Plus Technical specifications

WPAN RADIO
Bluetooth 4.0
GPS GPS / GLONASS

Accessories
Standard Stylus, hand strap, PSU, USB OTG cable

Certifications
Hardware IEC2 / FDA II, IEC60825 / EN60825-1

Warranty
Standard 2 years



Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



+31 (0) 345 87 00 33

info@newland-id.com newland-id.com

© Newland EMEA 2021, all rights reserved

