






Cloud Gateway Ultra

UCG-Ultra







∧ Overview

UniFi Application Suite

Network √

Managed UniFi Devices 30+

Simultaneous Users Connected 300+

Max. WAN Port Count

Default WAN Ports (1) 2.5 GbE RJ45

Port Layout

1 GbE RJ45 (1G/100M/10M)

2.5 GbE RJ45 (2.5G/1G/100M/10M)

1/4

UniFi Cloud Gateway Ultra - Tech Specs IDS/IPS Throughput 1 Gbps Form Factor Compact desktop ∧ Security Stateful Firewall Application-Aware Layer 7 Firewall **DPI & Traffic Identification** Zone-Based Firewall Advanced Filtering (Regions, Domains, Apps) Content Filtering Intrusion Prevention (IPS/IDS) Ad Blocking **IDS/IPS Signatures** 55,000+ with CyberSecure VLAN/Subnet-based Traffic Segmentation ∧ VPN & SD-WAN License-Free SD-WAN Site-to-Site VPN Site Magic **IPsec** OpenVPN **VPN** Server Identity Endpoint One-Click VPN Teleport Zero-Configuration VPN WireGuard

OpenVPN

OpenVPN

WireGuard

L2TP

VPN Client



∧ Networking

Kreski

Multi-WAN Load Balancing
√

Dynamic Routing

OSPF ✓

Advanced QoS ✓

Multicast DNS (mDNS)
√

Advanced NAT (SNAT / DNAT /

Masquerade / NAT Pooling / 1-to-1 NAT)

Integrated RADIUS Server
√

RADIUS over TLS (RadSec) ✓

Additional Internet Failover with UniFi

LTE Backup

MAC Address Table Size 2,000

Policy-based WAN and VPN Routing
√

Customizable DHCP Server
√

IPv6 ISP Support
√

IGMP Proxy ✓

∧ Hardware

Max. Power Consumption 6.2W

Power Method USB type C (5V DC/3A)

Power Supply USB type C (5V DC/3A) (Adapter included)

Supported Voltage Range 100—240V AC

Processor Ouad-core ARM® Cortex®-A53 at 1.5 GHz

System Memory 3 GB

On-board Storage 16 GB

Weight 520 g (1.1 lb)

Enclosure Material Polycarbonate

LCM Display 0.96" status display

Management Ethernet Bluetooth



LEDs

Ethernet √

Button (1) Factory-reset

Ambient Operating Temperature -10 to 40° C (14 to 104° F)

Ambient Operating Humidity 5 to 95% noncondensing

NDAA Compliant √

Certifications CE, FCC, IC, Anatel, SRRC

∧ Software

Application Requirements

Mobile App

UniFi iOS™: Version 10.12.0 and later
UniFi Android™: Version 10.11.2 and later



Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl