


Zapraszamy do kontaktu! Więcej informacji: <u>www.kreski.pl</u>











## TABLE OF CONTENTS

PAGE	PRODUCT
4	HEAVY DUTY PEDESTAL MOUNTS WITH SMALL TEETH
6	HEAVY DUTY PEDESTAL MOUNTS WITH LARGE TEETH
11	LIGHT WEIGHT PEDESTAL MOUNTS WITH SWIVELING TOP
12	PEDESTAL MOUNTS FOR CABLE ENTRY
16	HEAVY & STANDARD DUTY PEDESTAL BALL MOUNTS
18	PIPE MOUNTS
22	U-MOUNTS
23	FORKLIFT CLAMP MOUNTS
26	SUCTION CUP MOUNTS
27	WORKSTATION MOUNTS
28	MULTIMOVECLIP
29	AMPS, DIN AND VESA MOUNTING PLATES
30	VIBRATION DAMPERS

## SYMBOL PRODUCT COMPABILITY

	PRODUCT IS COMPATIBLE WITH SQUARE BASE/TOP
$\bigcirc$	PRODUCT IS COMPATIBLE WITH ROUND BASE/TOP
$\bigcirc$	PRODUCT IS COMPATIBLE WITH CABLE ENTRY
	PRODUCT IS COMPATIBLE WITH MOUNTS WITH SMALL TEETH
-> <mark>8</mark>	PRODUCT IS COMPATIBLE WITH MOUNTS WITH LARGE TEETH
()	PRODUCT HAS A SWIVELING FEATURE
٢Ŋ	PRODUCT IS EQUIPPED WITH WINGNUT







- A modular system for a stable and strong installation of heavier devices
- Provides improved working environment with device within easy reach
- For use in any vehicle, flat surface, round pole or pipe, square rod
- Durable products with low weight, that withstand a lot of weight
- Contact Brodit for customized solutions on special projects
- Standard holes for easy attachment of a device holder
- Complete sets, or mix and match your own solution
- Heavy duty and standard duty range
- For professional everyday use
- Discreet design, color: black
- Solid and hollow range
- Made of aluminum
- Made in Sweden





## **HEAVY DUTY PEDESTAL MOUNTS WITH WINGNUTS**

- A versatile heavy duty Pedestal Mount with wingnuts which allow for easy adjustment
- The joints are super strong thanks to the small interlocking teeth
- WITH SMALL TEETH • The small interlocking teeth can be angled in 0-180° (16 positions in steps of 11,25°)
- Rod diameter 30 mm, solid rod
- Made of aluminum
- Square base/top: 50x50 mm with dual 4 mm AMPS holes
- Round base/top: diameter 64 mm with multiple 4 mm AMPS holes, radial adjustment



215836 215837 215838 215937

215863 215840

215864

216160 216361

215865

.

HEAVY DUTY PEDESTAL MOUNT WITH WINGNUTS, ROUND BASE & SQUARE TOP Total length Holes Item no. Product 215836 Pedestal Mount 2" 62 mm Dual 4 mm AMPS+Multiple 4 mm AMPS 215837 Pedestal Mount 4" <u>114 mm</u> Dual 4 mm AMPS+Multiple 4 mm AMPS 215838 Pedestal Mount 6" 164 mm Dual 4 mm AMPS+Multiple 4 mm AMPS 215937 214 mm Dual 4 mm AMPS+Multiple 4 mm AMPS Pedestal Mount 8" Pedestal Mount 10" 264 mm Dual 4 mm AMPS+Multiple 4 mm AMPS <u>216153</u>

## HEAVY DUTY PEDESTAL MOUNT WITH WINGNUTS, ROUND BASE & ROUND TOP

<u>ltem no.</u>	Product	Total length	Holes
<u>215839</u>	Pedestal Mount 2"	62 mm	Multiple 4 mm AMPS
<u>215840</u>	Pedestal Mount 4"	114 mm	Multiple 4 mm AMPS
215863	Pedestal Mount 6"	164 mm	Multiple 4 mm AMPS
215864	Pedestal Mount 8"	214 mm	Multiple 4 mm AMPS
215865	Pedestal Mount 10"	264 mm	Multiple 4 mm AMPS
216160	Pedestal Mount 7,5" rotatable	188 mm	Multiple 4 mm AMPS

# 长戀


### HEAVY DUTY PEDESTAL MOUNT WITH WINGNUTS, SINGEL AMPS BASE & ROUND TOP

<u>ltem no.</u>	Product	Total length	Holes
<u>216361</u>	Pedestal Mount 3,8"	97 mm	Single+Multiple 4 mm AMPS



# **HEAVY DUTY EXTENSION PARTS WITH SMALL TEETH**

- Create your own unique solution by combining various heavy duty Pedestal Mount parts
- The joints are super strong thanks to the small interlocking teeth, can be angled in 0-180° (16 positions in steps of 11,25°)
- Rod diameter 30 mm, solid rod
- Made of aluminum







## **HEAVY DUTY PEDESTAL MOUNTS**

- Set the heavy duty Pedestal Mount into desired angles
- The joints are super strong thanks to the large interlocking teeth
- The large interlocking teeth can be angled in 0-195° (8 positions in steps of 24°)
- Rod diameter 30 mm, solid rod
- Made of aluminum





WITH LARGE TEETH

215786 215787 215788 215789

215790

### **HEAVY DUTY PEDESTAL MOUNT WITH SQUARE BASE & TOP**

• Mounting plate 50x50 mm with dual 4 mm AMPS holes

<u>ltem no.</u>	Product	Total length	Holes
<u>215532</u>	Pedestal Mount 2"	62 mm	Dual 4 mm AMPS
<u>215525</u>	Pedestal Mount 4"	114 mm	Dual 4 mm AMPS
<u>215526</u>	Pedestal Mount 6"	164 mm	Dual 4 mm AMPS
<u>215533</u>	Pedestal Mount 8"	214 mm	Dual 4 mm AMPS
215550	Pedestal Mount 10"	264 mm	Dual 4 mm AMPS

# 

### HEAVY DUTY PEDESTAL MOUNT WITH ROUND BASE & TOP

• Mounting plate diameter 64 mm with multiple 5 mm AMPS holes, radial adjustment

<u>ltem no.</u>	Product	Total length	Holes
<u>215786</u>	Pedestal Mount 2"	62 mm	Multiple 5 mm AMPS, radial adjustm.
<u>215787</u>	Pedestal Mount 4"	114 mm	Multiple 5 mm AMPS, radial adjustm.
<u>215788</u>	Pedestal Mount 6"	164 mm	Multiple 5 mm AMPS, radial adjustm.
<u>215789</u>	Pedestal Mount 8"	214 mm	Multiple 5 mm AMPS, radial adjustm.
<u>215790</u>	Pedestal Mount 10"	264 mm	Multiple 5 mm AMPS, radial adjustm.





# HEAVY DUTY EXTENSION PARTS WITH LARGE TEETH

- Create your own unique solution by combining various heavy duty Pedestal Mount parts
- The joints are super strong thanks to the large interlocking teeth, can be angled in 0-195° (8 positions in steps of 24°)
- Rod diameter 30 mm, solid rod
- Made of aluminum



## HEAVY DUTY EXTENSION ROD

<u>Item no.</u>	Product	Total length	Inner length	CC-dimension
<u>215515</u>	Extension rod 2"	82 mm	14 mm	52 mm
<u>215514</u>	Extension rod 4"	132 mm	64 mm	102 mm
<u>215534</u>	Extension rod 6"	182 mm	114 mm	152 mm
<u>215549</u>	Extension rod 8"	232 mm	164 mm	202 mm
<u>215724</u>	Extension rod 2", 90° angle	82 mm	14 mm	52 mm
<u>215674</u>	Extension rod 4", rotatable	132 mm	64 mm	102 mm

### **HEAVY DUTY SQUARE BASE/TOP**

<u>ltem no.</u>	Product	Total length	CC-to surface
215516	Base/top, square mounting plate 50x50 mm	46 mm	31 mm
	Dual 4 mm AMPS holes		

## 

## HEAVY DUTY ROUND BASE/TOP

<u>Item no.</u>	Product	Total length	CC-to surface
215785	Base/top, round mounting plate 46 mm diameter	46 mm	31 mm
	Multiple 5 mm AMPS holes, radial adjustment		



## **WINGNUTS & SCREWS**

K}



<ul> <li>For use on all heavy duty Pedestal Mounts (NOT for standard duty Pedestal Mounts)</li> </ul>		
<u>ltem no.</u>	Product	
<u>215670</u>	Wing nuts. Replaces standard nuts on heavy duty Pedestal Mounts (2 pcs)	
<u>215535</u>	Screws. 2 screws + 2 nuts + 1 Allen key. For heavy duty Pedestal Mounts. Color: Black	
<u>216535</u>	Screws. 2 stainless steel screws + 2 nuts + 1 Allen key. For heavy duty Pedestal Mounts.	
<u>215591</u>	Screws. 4 screws M4 x 12 mm + 4 nuts + 1 Allen key. Color: Black	

## MOUNTING TOPS



8

## SWIVELING TOP PLATE

- For installation of equipment that needs to be turned for use from different directions
- Made of aluminum
- Swivels 300°. Diameter 64 mm. Thickness 22 mm

Item no.	Product	Holes
215521	Swiveling top plate, adjustable in fixed steps	M4 AMPS holes + 4x4 mm holes
$\square$	7	

### ANGLED TOP PART

()()

- For installation of two devices back to back, for example a payment terminal and a printer
- Dimensions 64x64x46 mm (L+W+H), mounting surfaces are angled 10° and 20°
- Made of Acetal plastic

<u>Item no.</u>	Product	Holes
<u>215524</u>	Angled top part 10° and 20°	Dual 2 mm AMPS + 4 mm AMPS + 1x8 mm hole

## ANGLED DISTANCE PLATE

• 50x60x5-21 mm. Angled 15°.

•	Made	of a	luminum.	
---	------	------	----------	--

<u>ltem no.</u>	Product	Thickness	Holes
216183	Angled distance plate	5-21 mm	Counterbored through M4 AMPS
			Dual M4 AMPS + 9 mm center

Kreski

## HEAVY DUTY PEDESTAL MOUNTS WITH TOP



215518





Kreski

### SWIVELING HEAVY DUTY PEDESTAL MOUNT

• Top part of the mount swivels 300°

300°

SWIVELS!

- For installation of two devices back to back
- Mounting surfaces are angled 10° and 20°
- With MultiMoveClip, fits for all Brodit holders with tilt swivel
- Round base mounting plate, diameter 100 mm, thickness 9 mm, 6x6,5 mm holes
- Rod diameter 30 mm, solid rod, made of aluminum

<u>Item no.</u>	Product	Total length
215523	Swiveling Pedestal Mount 6"	262 mm
	•	

### HEAVY DUTY PEDESTAL MOUNT 4" WITH MULTIMOVECLIP

- With MultiMoveClip, fits for all Brodit holders with tilt swivel
- Round base mounting plate, diameter 100 mm, thickness 9 mm, 6x6,5 mm holes
- Rod diameter 30 mm, solid rod, made of aluminum

Item no.	Product	Total length
215518	Pedestal Mount with MultiMoveClip	138 mm

## -8-

215523

### HEAVY DUTY PEDESTAL MOUNT 4" WITH BASE PLATE

- Square mounting plate, 50x50 mm, dual 4 mm AMPS holes
- Round base mounting plate, diameter 100 mm, thickness 9 mm, 6x6,5 mm holes

Totollowoth

• Rod diameter 30 mm, solid rod, made of aluminum

Draduct

nem no.	Product	Total length
215563	Pedestal Mount 4"	124 mm





## LIGHT WEIGHT PEDESTAL MOUNTS WITH SWIVELING TOP



### LIGHT WEIGHT PEDESTAL MOUNTS WITH SWIVELING TOP

- A light weight, small size Pedestal Mount perfect for use in cramped spaces
- Rod diameter 30 mm, solid rod, made of aluminum. Foot with 6x4 mm holes. Height 117 mm + top
- Slim design top. Swiveling top turns 345°, made of Acetal plastic. With dual 2 mm AMPS holes

<u>Item no.</u>	Product	Top angle	Holes
<u>215815</u>	Swiveling Pedestal Mount	15° angled top	Dual 2 mm AMPS
<u>215816</u>	Swiveling Pedestal Mount	30° angled top	Dual 2 mm AMPS
<u>215817</u>	Swiveling Pedestal Mount	45° angled top	Dual 2 mm AMPS
<u>215818</u>	Swiveling Pedestal Mount	60° angled top	Dual 2 mm AMPS
<u>215819</u>	Swiveling Pedestal Mount	75° angled top	Dual 2 mm AMPS
<u>215820</u>	Swiveling Pedestal Mount	90° angled top	Dual 2 mm AMPS

# $\bigcirc$

## **BASE PLATES**

<u>ltem no.</u>	Product	Diameter	Holes
<u>215597</u>	Round mounting plate	100 mm	6x6,5 mm + 6 M4 holes
<u>215598</u>	Round mounting plate	150 mm	6x6,5 mm + 6 M4 holes
<u>215599</u>	Round mounting plate	200 mm	6x6,5 mm + 6 M4 holes

## PEDESTAL MOUNTS FOR CABLE ENTRY

- Hollow Pedestal Mounts for cable entry for use on store counter tops, events , fairs etc.
- Available with a fixed top or a swiveling top. Swiveling top turns 345°, made of Acetal plastic **345°** 
  - Round base mounting plate, diameter 64 mm, thickness 9 mm, 6x4 mm holes
    - Rod diameter 35 mm, hole inside diameter 25 mm, made of aluminum
    - With MultiMoveClip, fits for all Brodit holders with tilt swivel



SWIVELS!



215636







215639





215629

215635

215637

215638

215640














PEDESTAL MOUNT FOR CABLE ENTRY, WITH SWIVELING TOP							
<u>Top angle</u>	15°	30°	45°	60°	75°	90°	
Height 4,5" + top	215629	215630	215631	215632	215633	215634	
Height 6,5" + top	215635	215636	215637	215638	215639	215640	
Height 8,5" + top	215641	215642	215643	215644	215645	215646	



O)

## PEDESTAL MOUNT FOR CABLE ENTRY, WITH FIXED TOP

<u>Top angle</u>	15°	30°	45°	60°	75°	90°
Height 4" + top	215611	215612	215613	215614	215615	215616
Height 6" + top	215617	215618	215619	215620	215621	215622
Height 8" + top	215623	215624	215625	215626	215627	215628





## **FLOOR & TABLE TOP STAND FOR CABLE ENTRY**





## **EXTENSION PARTS & PLATES FOR CABLE ENTRY MOUNTS**



### HOLLOW EXTENSION PARTS FOR CABLE ENTRY, WITH SWIVELING TOP

	<b>EXTENSION PARTS FOR CABLE ENTRY, WIT</b> neter 35 mm, hole inside diameter 25 mm aluminum	TH SWIVELING	ТОР	HOLLOW RA	NGE
<u>ltem no.</u>	Product	Total length	Holes	FOR	
<u>215572</u>	Swiveling Pedestal Mount for cable entry 4,5"	115 mm	5x4 mm AM	MPS+6x M4	
<u>215573</u>	Swiveling Pedestal Mount for cable entry 6,5"	165 mm	5x4 mm AM	MPS+6x M4	
<u>215574</u>	Swiveling Pedestal Mount for cable entry 8,5"	215 mm	5x4 mm AM	MPS+6x M4	

 $(\bigcirc)$ 

### HOLLOW EXTENSION PARTS FOR CABLE ENTRY

- Rod diameter 35 mm, hole inside diameter 25 mm
- Made of aluminum

<u>ltem no.</u>	Product	Total length	Holes
<u>215564</u>	Pedestal Mount for cable entry 4"	100 mm	4x4 mm AMPS+6x M4
<u>215565</u>	Pedestal Mount for cable entry 6"	150 mm	4x4 mm AMPS+6x M4
<u>215566</u>	Pedestal Mount for cable entry 8"	200 mm	4x4 mm AMPS+6x M4
$\frown$			


```
(\bigcirc)
```

 $\overline{O}$ 

## HOLLOW ROUND MOUNTING/BASE PLATES FOR CABLE ENTRY

- For added stability, spreads the strain on the mounting surface thanks to larger area
- Hole diameter 20 mm, milled cable groove in the bottom
- Made of ABS plastic
- Thickness 9 mm.

<u>ltem no.</u>	Product	Diameter	Holes
<u>215757</u>	Mounting plate for cable entry	200 mm	6x6,5 mm+6x M4
<u>215795</u>	Mounting plate for cable entry	250 mm	6x6,5 mm+6x M4



# HOLLOW TOPS FOR CABLE ENTRY MOUNTS





215569









215568

215570

215571

215596












215595



215717

## ANGLED TOPS FOR CABLE ENTRY PEDESTAL MOUNT

• Center hole diameter 24 mm

• Made of Acetal plastic

Item no.	Product	Top angle	Total height	Holes
<u>215568</u>	Angled top, cable entry	Angle: 15°	26 mm	Dual 2 mm AMPS + 4x4mm
<u>215569</u>	Angled top, cable entry	Angle: 30°	44 mm	Dual 2 mm AMPS + 4x4mm
<u>215570</u>	Angled top, cable entry	Angle: 45°	50 mm	Dual 2 mm AMPS + 4x4mm
<u>215571</u>	Angled top, cable entry	Angle: 60°	50 mm	Dual 2 mm AMPS + 4x4mm
<u>215595</u>	Angled top, cable entry	Angle: 75°	50 mm	Dual 2 mm AMPS + 4x4mm
<u>215596</u>	Angled top, cable entry	Angle: 90°	50 mm	Dual 2 mm AMPS + 4x4mm
215596	• • •	•	50 mm	Dual 2 mm AMPS + 4x4mm

 $\bigcirc$ 

## SWIVELING TOPS FOR CABLE ENTRY PEDESTAL MOUNT

- Square mounting plate 50x50 mm, hole diameter 32 mm
- Made of aluminum and Acetal plastic
- Tilts 180°

(0)(`)

<u>Item no.</u>	Product	Holes
<u>215717</u>	Top Part with 180° turnaround. Locking with handle	Dual 2 mm AMPS + 4x4mm
<u>215741</u>	Top Part with 180° turnaround. Locking with handle	RAM Mount holes + 4x4mm
<u>215742</u>	Top Part with 180° turnaround. Locking with Allen Key	Dual 2 mm AMPS + 4x4mm
_		



## **HEAVY DUTY PEDESTAL BALL MOUNTS**

### HEAVY DUTY PEDESTAL BALL MOUNT

- With ball head, size 20 mm. Tilts 210°, swivels 360°
- Loading weight 3 kg
- Rod made of aluminum, lever made of metal
- Mounting plate 42x50 mm with 4 mm AMPS holes
- Compatible with all Brodit holders with tilt swivel

Item no. Product

202024 Heavy duty pedestal ball mount

<u>Total length</u> 180 mm

## STANDARD DUTY PEDESTAL BALL MOUNTS

### STANDARD DUTY PEDESTAL BALL MOUNT

- With ball head, size 20 mm. Tilts 210°, swivels 360°
- Rod diameter 23 mm, loading weight 1-3 kg
- Rod made of aluminum, wingnut made of plastic
- Mounting plate 42x50 mm with 4 mm AMPS holes
- Compatible with all Brodit holders with tilt swivel

- 1		
<u>Item no.</u>	Product	Total length
202016	Pedestal Mount 5"	132 mm
202010	Pedestal Mount 6,5"	165 mm
202020	Pedestal Mount 10"	251 mm
202025	Extension arm , for use with item no 202010-202020	170 mm
202019	Pedestal Mount 6,5" with cup holder mount	234 mm
<u>202018</u>	Pedestal Mount 10,5" with cup holder mount	267 mm
202027	Magnetic mount 88 mm	35 mm
202028	Magnetic mount 43 mm	31 mm
202029	Pedestal Mount 6" with magnetic mount, 88 mm.	128 mm
202030	Pedestal Mount 7.5" with magnetic mount, 88 mm	160 mm
202031	Pedestal Mount 11" with magnetic mount, 88 mm.	247 mm
202017	Pedestal Mount 6" with suction cup	160 mm
202011	Pedestal Mount 7,5" with suction cup	190 mm
202012	Pedestal Mount 11" with suction cup	280 mm
202015	Pedestal Mount 10" with small clamp mount	
	Opens max 40 mm or Ø30 mm.	345 mm
202014	Pedestal Mount 10" with heavy duty clamp mount	
	Opens 5-65 mm	340 mm
O K	}	

















 $\bigcirc$ 



















## **HEAVY DUTY PIPE MOUNTS**



215935





215859



216107



216114

0000

216115

- A pipe mount for round bars
- Perfect for installations in heavy duty vehicles or where road conditions are rough
- For use on motorcycles, boats, carts, stands, wheelchairs, airplanes etc
- Provides a very sturdy mounting platform for tablets, PDAs, phones, monitors, printers etc

1111

- Mounting plate 69x75 mm with multiple M4 AMPS holes
- Made of aluminum

<u>Item no. Pr</u>	roduct	Fits pipe diameter	Holes
<b>215935</b> Pi	pe mount	25 mm (44,5 mm if insert removed)	Multiple M4 AMPS
<b>215858</b> Pi	pe mount	30 mm (44,5 mm if insert removed)	Multiple M4 AMPS
<b>215859</b> Pi		38,1 mm (44,5 mm if insert removed)	Multiple M4 AMPS
<b>215860</b> Pi		44,5 mm	Multiple M4 AMPS

## HEAVY DUTY PIPE MOUNT

- A pipe mount for round bars.
- Perfect for installations in heavy duty vehicles or where road conditions are rough
- For use on motorcycles, boats, carts, stands, wheelchairs, airplanes etc
- Provides a very sturdy mounting platform for tablets, PDAs, phones, monitors, printers etc
- Mounting plate 45x55 mm with dual AMPS-holes
- Made of aluminum

<u>Item no.</u>	Product	Fits pipe diameter	Holes
<u>216107</u>	Heavy duty pipe mount	19-30 mm	Dual AMPS
216114	Heavy duty pipe mount	29-40 mm	Dual AMPS
216115	Heavy duty pipe mount 1"-5"	25,4-127 mm	Dual AMPS



## **STANDARD DUTY PIPE MOUNTS**



- Made of ABS/Acetal plastic (Item no 215969 made of aluminum)
- Mounting plate 50x42 mm

Item no.	Product	Fits pipe diameter	Holes
<u>215664</u>	Pipe mount	19-30 mm	2 mm AMPS
<u>215969</u>	Pipe mount with wing nuts	29-40 mm	2 mm AMPS
<u>215665</u>	Pipe mount, Mounting plate 160x50 mm	19-30 mm	6x2 mm AMPS
<u>215666</u>	Pipe mount, Mounting plate angled 45°	19-30 mm	6x2 mm AMPS
<u>215667</u>	Pipe mount, Mounting plate angled 90°	19-30 mm	6x2 mm AMPS
<u>215793</u>	Pipe mount	22-31 mm	2 mm AMPS
<u>215794</u>	Pipe mount	22-31 mm	4 mm AMPS for bolt+nut
215945	Pipe mount	31-50 mm	2 mm AMPS
<u>215946</u>	Pipe mount	31-50 mm	4 mm AMPS for bolt+nut



# STANDARD DUTY PIPE BALL MOUNTS





202026

215792

215944

216254

## STANDARD DUTY PIPE BALL MOUNT

- For installation of devices on pipes and rods/bars
- With ball head, size 20 mm. Tilts 210°, swivels 360°

• For use on most types of vehicles, trucks, motorcycles, boats, carts, stands, wheelchairs, airplanes etc

•	Mounting	plate	50x42	mm.	with	AMPS	holes
-	mounting	piaco	00/42	,	VVILII	/	1000

Item no.	Product	Fits pipe diameter	Holes
202026	Pipe mount with swiveling mounting plate		
	Made of aluminum	20-32 mm	4 mm AMPS
215792	Pipe mount with swiveling mounting plate		
	Made of plastic	22-31 mm	2 mm AMPS
215944	Pipe mount with swiveling mounting plat. Made of plastic	31-50 mm	4 mm AMPS
216254	Pipe mount with swiveling mounting plate Made of plastic	12-44 mm	4 mm AMPS + 2



## **ROUND BASE SINGEL HOLE**



### Round base singel hole

- For attaching a device holder to an forklift using one bolt
- Standard AMPS holes

Item no. Product

216389 Pedestal mount 185 mm

Holes 4mm AMPS+1x8,8mm

## STILL FORKLIFT MOUNT



216262

### STILL MOUNT

- For attachment on a Still Clamp mount 0711707/0711708 (not included).
- Made of powder coated steel
- Multiple AMPS holes, radial adjustment

Item no. Product



Holes Radial 4mm AMPS

FOR USE ON STILL CLAMP MOUNT

## **TOYOTA FORKLIFT MOUNT**



<ul> <li>Toyota Forklift E-Bar</li> <li>For attaching a device holder or Pedestal Mount to an E-Bar rail</li> </ul>					
	d AMPS holes				
Item no.	Product	Holes			
<u>216310</u>	Mounting Plate	4mm AMPS			



# HEAVY DUTY U-MOUNTS



216227



215710



215709

HEAVY DUTY U-MOUNTS

0

0



HEAVY DUTY U-MOUNT

- For installation onto square objects
- Made of aluminum
- Dual M4 AMPS holes

Item no.	Product	Fits bar width	Holes
<u>216227</u>	U-Mount	25-30 mm	Dual M4 AMPS
<u>215710</u>	U-Mount	35-40 mm	Dual M4 AMPS
<u>215709</u>	U-Mount	45-50 mm	Dual M4 AMPS
<u>215709</u>	U-Mount	45-50 mm	Dual M4 AMPS





# **HEAVY DUTY FORKLIFT CLAMP MOUNTS**



## HEAVY DUTY CLAMP MOUNT

- For installation onto square objects, such as rollbars or pillars
- Fits square objects with thickness 5-130 mm
- Made of aluminum

<u>Item no.</u>	Product	Width between rods	Holes
<u>215677</u>	Forklift mount	87 mm	Multiple M4 AMPS
<u>216091</u>	Forklift mount	127 mm	Multiple M4 AMPS

## HEAVY DUTY CLAMP MOUNT WITH PEDESTAL MOUNT FOOT

- Fits square objects with thickness 5-130 mm
- With large interlocking teeth


Item no.	Product
215784	Forklift mount with integrated base

Width between rods
36 mm



## **HEAVY DUTY FORKLIFT CLAMP MOUNTS**

- For installation onto square objects, e.g. rollbar of a forklift, rods, poles, tubes, plates, pipes
- Round base/top: diameter 64 mm with multiple 4 mm AMPS holes, radial adjustment
- Fits square objects with thickness 5-130 mm
- Made of aluminum



WITH SMALL TEETH

### FORKLIFT CLAMP MOUNT WITH HEAVY DUTY PEDESTAL MOUNT ARM

- With a heavy duty Pedestal Mount arm with wingnuts
- Solid rod, diameter 30 mm
- One end with small interlocking teeth, can be angled in 0-180° (16 positions in steps of 11,25°)
- The other end with large interlocking teeth, can be angled in 0-195° (8 positions in steps of 24°)

Item no.	Product	Width btw. rods	Length	Holes
<u>215888</u>	Clamp mount 4"	87 mm	114 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>215889</u>	Clamp mount 6"	87 mm	164 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>215890</u>	Clamp mount 8"	87 mm	214 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>215891</u>	Clamp mount 10"	87 mm	276 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>216179</u>	Clamp mount 4"	127 mm	114 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>216097</u>	Clamp mount 6"	127 mm	164 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>217002</u>	Clamp mount 8"	127 mm	214 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>217003</u>	Clamp mount 10"	127 mm	276 mm + clamp mount	Mult. 4 mm AMPS, radial adj.

# ○₿漸뺧

### FORKLIFT CLAMP MOUNT WITH HEAVY DUTY PEDESTAL MOUNT ROTATABLE ARM

- With a heavy duty Pedestal Mount rotatable arm with wingnut
- Solid rod, diameter 30 mm
- With small interlocking teeth, can be angled in 0-180° (16 positions in steps of 11,25°)

Width btw. rods Length Item no. Product

<u>216209</u>	Clamp mount 7,5"	87 mm	188 mm + clamp mount	Mult. 4 mm AMPS, radial adj.
<u>216210</u>	Clamp mount 7,5"	127 mm	188 mm + clamp mount	Mult. 4 mm AMPS, radial adj.

Holes





# STANDARD DUTY FORKLIFT CLAMP BALL MOUNTS



### FORKLIFT CLAMP MOUNT WITH STANDARD DUTY PEDESTAL BALL MOUNT ARM

- For installation onto square objects, e.g. rollbar of a forklift, rods, poles, tubes, plates, pipes
- Fits square objects with thickness 5-130 mm
- With a standard duty Pedestal Mount arm with wingnuts
- Mounting plate 50x42 mm with 4 mm AMPS holes

• Made of aluminum

Item no.	Product	Width between rods	Length	Holes
<u>215978</u>	Clamp ball mount 5"	72 mm	140 mm + clamp mount	4 mm AMPS
<u>215979</u>	Clamp ball mount 6,5'	' 72 mm	172 mm + clamp mount	4 mm AMPS
<u>215980</u>	Clamp ball mount 5"	97 mm	140 mm + clamp mount	4 mm AMPS
<u>215981</u>	Clamp ball mount 6,5'	' 97 mm	172 mm + clamp mount	4 mm AMPS






19 Jun		USU / C				
Kree	ski					
<u>e</u> ll						
50	CIUN		>		6	
(Contraction of the second sec					EXTRA ST SUCTIO	rong N CUP!
21:	5712	215671	215675		וזזז	
•		*	* =		O O O O O	JE TEETIN
	215676	215679		215854		
I	STANDAF	RD DUTY SUCTION CUP M	OUNT			
	Item no.	Product		Holes		
	<u>215712</u>	Standard duty single suction	on cup mount	Dual 2 mm AMPS		
	<ul><li>Provides</li><li>Made of</li></ul>	UTY SUCTION CUP MOUN s a firm installation on flat su metal and plastic				
	<u>Item no.</u> 215671	<u>Product</u> Heavy duty dual suction c		Holes Dual 4 mm AMPS		
	<u>215675</u>	Heavy duty triple suction of		Dual 4 mm AMPS		
	215854	Heavy duty dual suction c with Heavy Duty Pedestal	up mount	Dual 4 mm AMPS		
	DISTANCE					
	Item no.	Product		Holes		
	<u>215676</u>	Wingnut + distance plate {	50x50x5 mm	4 mm AMPS		
	215679	Distance plate 50x50x5 m		4 mm AMPS	_	
26						



## **HEAVY DUTY WORKSTATION MOUNTS**

- For installing a laptop or monitor and keyboard as a workstation in any location
- Made of powder coated steel.



## HEAVY DUTY LAPTOP HOLDER

<ul> <li>Fits lapt</li> </ul>	ops with width 283-384 mm, max thickness 25 mm	
<u>Item no.</u>	Product	Holes
<u>216033</u>	Laptop holder	4 mm AMPS
<u>216047</u>	Laptop holder. With back support	4 mm AMPS

### HEAVY DUTY MONITOR AND KEYBOARD MOUNT

<ul> <li>Fits all standard keyboards and tablets</li> </ul>		
<u>Item no.</u>	Product	Holes
<u>216059</u>	Monitor and keyboard mount	Multiple M4 AMPS + VESA75/100

### HEAVY DUTY FOLDING MONITOR AND KEYBOARD MOUNT

• With heavy-duty tension hinge; fold the mount up in half to get it out of the way when not in use

Attach any cradle, holder, tablet, monitor to the top section and keyboard to the bottom section
 <u>Item no. Product Holes</u>

216261	Folding monitor and keyboard mount	Multiple M4 AMPS + VESA75/100
		•



## **MULTIMOVECLIP**



### MULTIMOVECLIP

- An adapter system for easy attachment and removal of a holder onto a mount
- Allows you to easily switch holders without changing the mount
- Move the holder between vehicle/warehouse/office
- Made of Acetal/ABS plastic
- Compatible with all Brodit holders with tilt swivel

<u>ltem no.</u>	Product	Holes
<u>215699</u>	MultiMoveClip, high strength easy open	4 mm AMPS
<u>215718</u>	MultiMoveClip, high strength easy open high	4 mm AMPS
<u>215822</u>	MultiMoveClip, high strength easy open high, with lock + 2 keys	4 mm AMPS

## ADAPTER PLATE


<u>Item no.</u>	Product	Holes
<u>215527</u>	Adapter plate, for use of holder without tilt swivel on MultiMoveClip	Dual 2 mm AMPS

### MULTIMOVECLIP SCREWS

Item no.	Product
215591	Screw set. 4 screws + 4 nuts + 1 torx key. Color: Black
	(for installing a MultiMoveClip onto a Pedestal Mount)
216591	Screw set. 4 stainless steel screws + 4 nuts + 1 torx key
	(for installing a MultiMoveClip onto a Pedestal Mount)



## AMPS, DIN & VESA MOUNTING PLATES



AMPS	<b>MOUNTING PLAT</b>	ES
	MOONTING I EAT	20

<ul> <li>Made of powder coated steel.</li> </ul>			
Item no.	Product	Holes	
<u>216076</u>	Mounting plate 180x60x3 mm	Multiple 4 mm AMPS	
<u>216095</u>	Mounting plate 260x60x3 mm	Multiple 4 mm AMPS	
<u>216044</u>	Mounting plate 300x60x3 mm	Multiple 4 mm AMPS	
<u>217004</u>	Reinforcement plate 75x75x3 mm	M4 AMPS	

### **DIN MOUNTING PLATE**

Made of powder coated steel.			
<u>Item no.</u>	Product	Holes	
<u>217005</u>	Mounting plate single DIN 188x60x3 mm	Multiple M4 AMPS	

## **VESA MOUNTING PLATES**

- For use with all heavy duty Pedestal Mounts
- Made of aluminum

Item no.	Product	Holes
<u>215988</u>	Single Vesa: 75 mm, rounded plate	5 mm Vesa + M4 AMPS
<u>215987</u>	Dual Vesa: 75 mm and 100 mm, rounded plate	Dual 5 mm Vesa + M4 AMPS
<u>215753</u>	5 x Vesa: 75 mm, square plate	5x5 mm Vesa + 4 mm AMPS
<u>215748</u>	Single Vesa 75 mm, square plate	5 mm Vesa + 4 mm AMPS



## **VIBRATION DAMPERS**

<u>Kr</u>eski



### **VIBRATION DAMPER**

- Reduces vibrations and bumps, for use in a rough environment
- Mount the vibration damper between the cradle/holder and the Pedestal Mount
- Shore A 60 Hardness
- Made of steel and rubber

<u>Item no.</u>	Product	Holes	Max weight	Builds
<u>216274</u>	Vibration damper	M4 AMPS	1500 g	17 mm
<u>216275</u>	Vibration damper	M4 AMPS, VESA 75	2000 g	19 mm
<u>216171</u>	Vibration damper	M4	4000 g	15 mm



## **HINGE MOUNT**



## HINGE MOUNT

- For installation of an additional device in front of your car's screen while maintaining access to the screen
- Opens 0-180° depending on height of holder/device and dashboard design, normal opening angle is 90°
- A flat surface of 90x50 mm is required for the attachment
- 90x86x20 mm
- Made of ABS

	I ADO		
Item no.	Product	Holes	
216154	Hinge mount	4mm AMPS	



# CUSTOMIZED TWO-PART MOUNTING SOLUTIONS


- Customized holders for any handheld device, for use with or without a case or addon equipment.
- Customized mounts for any vehicle, both for left and right hand drives.
- Firmly keeps your device within easy sight and reach all work day.
- Quick and easy installation, upgrade and maintenance without special tools.
- See full range at www.brodit.com:



# ARE YOU PLANNING A NEW PROJECT?

- Customized mounting solutions, special made for your unique projects.
- Focus on usability, efficiency and innovation.
- Own in-house concept, design, development and manufacturing in Sweden.
- Highest quality and full control of all steps in the process.
- Contract manufacturing in high grade polymer and metal.
- Contact us for inquiries: info@brodit.se







Zapraszamy do kontaktu! Więcej informacji: <mark>www.kreski.pl</mark>







**Brodit** 

DEVICE MOUNTING SOLUTIONS























