

# RT10 SERIES RUGGED TABLET

**Kreski**


Accessories Guide

**Honeywell**



# TABLE OF CONTENTS

2	Power and Batteries
2	Power and Adapters
2	Chargers
3	Docks and Cradles
3	Keyboards
4	Miscellaneous
5	Vehicle Mount Parts
5	Vehicle Mount Parts



Zapraszamy do kontaktu!  
Więcej informacji: [www.kreski.pl](http://www.kreski.pl)

# POWER AND BATTERIES



RT10-PWR

**RT10 Power Adapter**

Spare power adapter. 100–240V AC to 19V DC at 3.42A. Requires country-specific cord.



RT10-BAT-STD1

**RT10 Standard Battery**

Spare standard battery. 7.4V, 5900 mAh Li-Polymer battery. 276 g (9.7 oz) weight, 11 mm (0.4 in) thick.



RT10-BAT-EXT1

**RT10 Extended Battery**

Spare extended battery. 7.4V, 10280 mAh Li-Polymer battery. 474 g (16.7 oz) weight, 16.5 mm (0.6 in) thick.

# POWER CABLES / ADAPTERS

**RT10-PWR-CABLE-EU**  
C6 type power cable, Europe

**RT10-PWR-CABLE-DMK**  
C6 type power cable, Denmark 3-pin

**RT10-PWR-CABLE-ITA**  
C6 type power cable, Italy 3-pin

**RT10-PWR-CABLE-IND**  
C6 type power cable, India

**RT10-PWR-CABLE-CN**  
C6 type power cable, China

**RT10-PWR-CABLE-SA**  
C6 type power cable, South Africa



**RT10-PWR-CABLE-UK**  
C6 type power cable, UK 3-blade

**RT10-PWR-CABLE-SWI**  
C6 type power cable, Switzerland 3-pin

**RT10-PWR-CABLE-AUS**  
C6 type power cable, Australia

**RT10-PWR-CABLE-US**  
C6 type power cable, United States



RT10-VM-POWER-CVRT (Available late Q4 2020)

Adapter cable to convert Thor VM series power supply connections to the RT10-VD or RT10-VC 3-pin terminal block power input.

# CHARGERS



RT10-BC-2

**RT10 2-Bay Battery Charger**

2-bay battery charger for standard or extended batteries. 12–19V DC in power. Standard battery charges in 3 hours, extended battery charges in 6 hours.

**Kit includes:** 1x 2-bay battery charger, 1x 19V AC adapter. Requires country-specific cord.



RT10-MC

**RT10 Vehicle Charger with Cigarette Header**

Vehicle charger/cigarette lighter adapter. 11–32V DC in, 19V/3.42A DC out.



# DOCKS AND CRADLES



RT10-CD

**RT10 Office Communications Dock**

Desk dock, Supports 19V DC power supply, not included.  
**Ports:** 2x USB 2.0 side, 2x USB 2.0 rear, RS-232, 1x RJ45 Ethernet, VGA, RT10 pogo-pin dock connector.



RT10-VD

**RT10 Vehicle Dock with Power Cable**

Vehicle dock, 3-pin terminal block 9–36V power supply. Power adapter cable included. Easy insert and release with key-lock.  
**Ports:** 4x USB-A, 1x RS-232, 1x RJ45 Ethernet, 1x GPS antenna, RT10 pogo-pin dock connector.  
75 mm x 75 mm (2.95 in x 2.95 in) VESA mount.  
**Vibration:** MIL-STD-810G, 5–500 Hz, 2.24G.



RT10-VC

**RT10 Vehicle Cradle**

Vehicle cradle – power only. 3-pin terminal block 9–36V power supply. Power adapter cable included. Easy insert and release with key- lock. RT10 pogo-pin dock connector. 75 mm x 75 mm (2.95 in x 2.95 in) VESA mount.  
**Vibration:** MIL-STD-810G, 5–500 Hz, 2.24G.



RT10-EVD

**RT10 Enhanced Vehicle Dock (Available late Q4 2020)**

Vehicle dock, VM compatible 10–60V power supply. Easy insert and release with key-lock.  
**Ports:** 2x USB-A, 2x RS-232, 1x D-9 USB, 1x D-15 USB, RT10 pogo-pin dock connector, 1x RJ45 Ethernet connector.  
75 mm x 75 mm (2.95 in x 2.95 in) VESA mount.  
**Vibration:** MIL-STD-810G, 5–500 Hz, 2.24G.



RT10-EVC

**RT10 Enhanced Vehicle Cradle (Available late Q4 2020)**

Vehicle cradle – power only. Vehicle-mount compatible 10–60V power supply. Easy insert and release with key-lock. RT10 pogo-pin dock connector. 75 mm x 75 mm (2.95 in x 2.95 in) VESA mount.  
**Vibration:** MIL-STD-810G, 5–500 Hz, 2.24G.



RT10-DD

**RT10 Display Dock (Available in late Q4 2020)**

Display dock for connecting to external monitor. Ports: 1x RJ45 Ethernet, 4x USB-A, 1x HDMI, RT10 pogo-pin dock connector. Supports 12-19V power supply, not included.

# KEYBOARDS



9000160KEYBRD

Windows Laptop Style 95 key rugged keyboard with integrated 2 button mouse, DB9M USB Interface.



9000161KEYBRD

**Numeric Keypad**

Numeric keypad, 21-key, USB interface; large keys make it ideal for glove use.





# MISCELLANEOUS



RT10-HS-1

**RT10 Hand Strap**

Hand strap kit including screws. Adjustable for standard or extended battery sizes.



RT10-SS-1

**RT10 Shoulder Strap**

Shoulder strap kit including screws. Adjustable cross-body strap with pad.



RT10-CASE

**RT10 Carrying Case**

Carry bag with hand carrier and adjustable shoulder strap. Separate pocket for accessories.



RT10-STY-1


**RT10 Capacitive Stylus with Tether**

Replacement capacitive stylus with tether.



VX89351PWRSPPLY

**Screen blanking switch box, universal.**



VX89352PWRSPPLY

Screen blanking switch box, for China only.



RT10-CAC

**RT10 Smart Card Reader**

Smart card reader. Snaps on to the back of the tablet.



RT10-SCREEN-FILM1 (Available late Q4, 2020)

Protective screen for RT10, pack of 1. (PET material)

# VEHICLE MOUNT PARTS



RT10-MNT-RAM

**RT10 Mounting Kit**

Connects to a RAM mount.



RT10-KEYBD-PLATE

Keyboard adapter for vehicle dock installations (C-Size RAM mount or keyboard are not included)



RT10-MNT-VS

**RT10 VESA Mount**

75 mm x 75 mm (2.95 in x 2.95 in) VESA mount kit. SGCC-grade steel. Includes 5x M4 6 mm (0.2 in) round screws, 5x M3 5 mm (0.2 in) round screws.

Image not available yet

RT10-2012BRKTKIT

**RAM Mount kit, Round base**

Medium arm 8.5inch (215 mm)

Image not available yet

RT10-2015BRKTKIT

**RAM Mount kit, Clamp base**

Medium arm 8.5inch (215 mm)



# VEHICLE MOUNT PARTS



VX89A030RAMBALL

Ball, “D”-size 57.15 mm (2.25 in), round  
93.47 mm (3.68 in) base, typically  
mounts to vehicle.



VX89A031RAMBALL

Ball, "D"-size 57.15 mm (2.25 in),  
flat  
63.5 mm (2.5 in) clamp base,  
typically mounts to vehicle.



VX89A032RAMBALL

Ball, “D”-size 57.15 mm (2.25 in),120.65  
mm (4.75 in) square base, typically mounts to  
vehicle.




VX89A503RAMARM

RAM long arm, 330 mm (13 in) for  
“D”-size  
57.15 mm (2.25 in) balls.  
to vehicle.



VX89535PLATE

Mounting plate, truckside for  
attaching one  
"D"-size ball. No ball included.



9000033PLATE

Backup plate (set of 2).Note: Hardware  
included. These two platescan be mounted on  
each side of the forkliftroof. Various RAM balls  
can be attachedto these plates to avoid having  
to drillmounting holes or weld to the forklift.



VX89A033RAMBALL

**VX89A033RAMBALL** Ball, “D”-  
size 57.15 mm (2.25 in), clamp  
base for 31.75 mm (1.25 in) to  
47.63 mm (1.875 in) pipe mount,  
typically mounts to vehicle.



VX89A041RAMBALL

**VX89A041RAMBALL** Ball, "C"-  
size 38.1 mm (1.5 in), 63.5 mm  
(2.5 in) round base.



VX89A504RAMARM

**RAM medium arm**, 145 mm (5.7 in), "C"-size  
38.1 mm (1.5 in) balls.



VX89A504RAMARM

**RAM medium arm**, 145 mm (5.7  
in), "C"-size 38.1 mm (1.5 in)  
balls.



VX89A501RAMARM

**RAM medium arm**, 215 mm (8.5  
in) for “D”- size 57.15 mm (2.25  
in) balls.



VX89A501RAMARM

**RAM short arm**, 128 mm (5 in) for “D”-  
size57.15 mm (2.25 in) balls.

**For more information**  
[www.honeywellaidc.com](http://www.honeywellaidc.com)

**Honeywell Safety and  
Productivity Solutions**  
9680 Old Bailes Road  
Fort Mill, SC 29707  
800-582-4263  
[www.honeywell.com](http://www.honeywell.com)



**Zapraszamy do kontaktu!**  
**Więcej informacji: [www.kreski.pl](http://www.kreski.pl)**

RT10 Series Rugged Tablet Accessories Guide | 09/16 ©  
2020 Honeywell International Inc.

**THE  
FUTURE  
IS  
WHAT  
WE  
MAKE IT**

**Honeywell**