



Common Mounting Accessories



NOTE: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection.






This document and the information contained therein (Information) are Zebra- confidential, and are provided under, and subject to, the confidentiality provision of your PartnerConnect agreement with Zebra. Any public disclosure (via posting on your website or otherwise) of the Information is strictly prohibited and will be considered a violation of your PartnerConnect agreement with Zebra.

* Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.







RAM Mount accessories

RAM D Size Ball (2.25" diameter) - typically used for mounting larger devices like Vehicle Mount Computers and Tablets on vehicles.
This size is recommended for the R12 series tablet.

Part Number	Picture	Description	Notes	Required Items
MT4301 or 350024 (Legacy Xplore SKU)		RAM Double Socket arm (Short)	<ul style="list-style-type: none"> ► Easily-installed RAM mount allows a terminal to be mounted on any plane of the 360 degree locking system. ► 5.10" length arm (RAM Short size) ► RAM D-size ball ► Uses RAM P/N RAM-D-201U-C 	
MT4302 or 350026 ► To be discontinued 2/2021 - see PMB 10567		RAM Double Socket arm (Medium)	<ul style="list-style-type: none"> ► Easily-installed RAM mount allows a terminal to be mounted on any plane of the 360 degree locking system. ► 8.44" length arm (RAM Medium size) ► RAM D-size ball ► Uses RAM P/N RAM-D-201U 	
350027		RAM Double Socket arm (Long)	<ul style="list-style-type: none"> ► To be discontinued 2/2021 - see PMB 10567 ► Easily-installed RAM mount allows a terminal to be mounted on any plane of the 360 degree locking system. ► 12.98" length arm (RAM Long size). ► RAM D-size ball ► Uses RAM P/N RAM-D-201U-E 	





MT3501		RAM VESA Plate Base with VC mounting hardware (VC8x/VH10)	<ul style="list-style-type: none"> ► RAM D-size (2.25") ball connected to a 4.75" square plate with 4x100mm holes and 4x75mm holes in each corner. ► Includes 4 bolts, nuts, and lock washers for attaching to MT4200 Quick Release Mount (for VH10 or VC8x series). ► Uses RAM P/N RAM-D-246U and includes hardware for attaching to MT4200 Quick Release Mount. 	
RAM-D-246U (3rd party) *		RAM VESA Plate Base	<ul style="list-style-type: none"> ► RAM D-size (2.25") ball connected to a 4.75" square plate with 4x100mm holes and 4x75mm holes in each corner. ► Includes 4 shoulder washers needed when mounting some devices (i.e. L10 tablet vehicle docks). 	
350037		RAM VESA Plate Base, Steel Reinforced	<ul style="list-style-type: none"> ► To be discontinued 2/2021 - see PMB 10567 ► RAM D-size (2.25") ball connected to a 4.75" square plate with 4x100mm holes and 4x75mm holes in each corner. ► Uses RAM P/N RAM-D-246-IN1U. 	
RAM-D-2461U-MOTO7B		RAM Small VESA Plate Base with VC mounting hardware (VC70)	<ul style="list-style-type: none"> ► 3.625" square plate with a 75mm X 75mm VESA hole pattern ► RAM D-size ball ► Includes hardware for attaching to VC70's shock plate. ► Uses RAM Mount P/N RAM-D-2461U and includes hardware to attach to VC70. 	
MT3512		RAM Small VESA Plate Base with VC mounting hardware (8585/8595)	<ul style="list-style-type: none"> ► 3.625" square plate with a 75mm X 75mm VESA hole pattern ► RAM D-size ball ► Includes hardware for attaching to legacy 8585/8595 devices. ► Uses RAM P/N RAM-D-2461U 	

MT4510		RAM Rectangular Base with VC mounting hardware (VC8x/VH10)	<ul style="list-style-type: none"> ► Base will install directly on the back of the VH10 or VC8x series. ► 2"x3" base ► RAM D-size ball (2.25") ► Uses RAM Mount P/N RAM-D-202U-23 and includes hardware for attaching to back of VH10 or VC8x series. 	
MT3505 or 350023 (Legacy Xplore SKU)		RAM Clamp Base (2" max arm/bar)	<ul style="list-style-type: none"> ► Clamp the RAM arm on bars with square or rectangular cross section (2" max. width). ► RAM D-size ball ► Uses RAM P/N RAM-D-247U-25 	
MT3507		RAM Clamp Base (3" max arm/bar)	<ul style="list-style-type: none"> ► Clamp the RAM arm on bars with square or rectangular cross section (3" max. width). ► RAM D-size ball ► Uses RAM P/N RAM-D-247U-3 	
MT3509 or 9007509 ► to be discontinued 2/2021, see PMB 10520		RAM Rail Base (1-1/4" to 1-7/8" rail)	<ul style="list-style-type: none"> ► Clamp the RAM arm on round tubes (1-1/4" to 1-7/8" max. pipe diameter). ► RAM D-size ball ► Uses RAM P/N RAM-D-271U-12 	
MT3510 or 350035 (Legacy Xplore SKU)		RAM Rail Base (2" to 2-1/2" rail)	<ul style="list-style-type: none"> ► Clamp the RAM arm on round tubes (2" to 2 1/2" max. pipe diameter). ► RAM D-size ball ► Uses RAM P/N RAM-D-271U-2 	
9007510 discontinued 4/2018				
MT3502		RAM Round Plate Base with mounting hardware	<ul style="list-style-type: none"> ► Can be used with the 5" or 8" RAM arm (MT4301 or MT4302) to mount a vehicle mount computer on any plane. ► Mount has pre-drilled holes, including the universal AMPS hole pattern. ► RAM D-size ball ► Plate is typically mounted on vehicle by drilling holes into the frame and attaching using the included hardware. ► Uses RAM Mount P/N RAM-D-202U and includes hardware for attaching to vehicle frame. 	

350028		RAM Round Plate Base	<ul style="list-style-type: none"> ▶ RAM D-size ball ▶ Mount has pre-drilled holes, including the universal AMPS hole pattern. ▶ Uses RAM P/N RAM-D-202U 	
MT3405		RAM Short Arm and Small VESA Plate Kit with VC mounting hardware (8585/8595)	<ul style="list-style-type: none"> ▶ Kit includes 5.10" length Double Socket Arm (MT4301), Small VESA Plate (MT3512) and hardware for attaching to legacy 8585/8595 devices. ▶ Uses RAM P/N RAM-D-201U-C and RAM-D-2461U 	
MT3406		RAM Medium Arm and Small VESA Plate Kit with VC mounting hardware (8585/8595)	<ul style="list-style-type: none"> ▶ Kit includes 8.44" length Double Socket Arm (MT4302), Small VESA Plate (MT3512) and hardware for attaching to legacy 8585/8595 devices. ▶ Uses RAM P/N RAM-D-201U and RAM-D-2461U 	
MT3324		RAM Short Arm and Round Plate Kit	<ul style="list-style-type: none"> ▶ Kit includes RAM 5.10" length Double Socket Arm (MT4301) and RAM Round Plate. ▶ RAM D-size ball ▶ Uses RAM 5.10" (Short size) Double Socket Arm (RAM-D-201U-C) and RAM Round Plate (RAM-D-254U) 	
MT3325		RAM Medium Arm and Round Plate Kit	<ul style="list-style-type: none"> ▶ Kit includes RAM Medium length (8.44") Double Socket Arm (MT4302) and RAM Round Plate. ▶ RAM D-size ball ▶ Uses RAM 8.44" (Medium size) Double Socket Arm (RAM-D-201U) and RAM Round Plate (RAM-D-254U) 	
350025		RAM Forklift mounting Kit	<ul style="list-style-type: none"> ▶ Typically used to mount L10 series tablets to forklifts ▶ Includes VESA Base Plate (RAM-D-246U), Medium length (8.44") Double Socket Arm (RAM-D-201U) and Clamp Base (RAM-D-247U-25) ▶ Uses RAM P/N RAM-D-246U, RAM-D-201U, RAM-D-247U-25 	NOTE: Does not includes shoulder washers which are needed for L10 vehicle docks. Order RAM SKU #RAP-WASHS2-4U
RAM C Size Ball (1.5" diameter) - Typically used for mounting keyboards and mobile handheld computers. Can also be used for mounting ET5x and L10 series tablets on vehicles.				
Part Number	Picture	Description	Notes	Required Items

RAM-201U or 350029 (Legacy Xplore SKU)		RAM Double Socket arm (Medium)	<ul style="list-style-type: none"> ▶ Double socket arm, has a socket at both ends that accommodates 1.5" ball bases (RAM C size). ▶ 5.69" (RAM Medium) length ▶ A single spring inside the arm opens the end sockets, allowing you to pivot the ball and socket connection. ▶ Uses RAM P/N RAM-201U 	
350032		RAM Double Socket arm (Long)	<ul style="list-style-type: none"> ▶ To be discontinued 2/2021 - see PMB 10567 ▶ Double socket arm, has a socket at both ends that accommodates 1.5" ball bases (RAM C size). ▶ 9.13" (RAM Long) length ▶ A single spring inside the arm opens the end sockets, allowing you to pivot the ball and socket connection. ▶ Uses RAM P/N RAM-201U-D 	
RAM-246U or 350033 (Legacy Xplore SKU)		RAM VESA Plate Base	<ul style="list-style-type: none"> ▶ 1.5" rubber ball (RAM C size), connected to a 4.75" square plate with 4x100mm holes and 4x75mm holes in each corner. ▶ Includes 4 shoulder washers needed when mounting some devices (i.e. L10 tablet vehicle docks). ▶ Uses RAM P/N RAM-246U 	
350040		RAM Clamp Base (2.5" max arm/bar)	<ul style="list-style-type: none"> ▶ Clamp the RAM arm on bars with square or rectangular cross section (2.5" max. width). ▶ RAM C-size ball ▶ Uses RAM P/N RAM-247U-25 	
350048		RAM Clamp Base (3" max arm/bar)	<ul style="list-style-type: none"> ▶ Clamp the RAM arm on bars with square or rectangular cross section (3" max. width). ▶ RAM C-size ball ▶ Uses RAM P/N RAM-247U-3 	
350034		RAM Rail Base (2" to 2-1/2" rail)	<ul style="list-style-type: none"> ▶ Clamp the RAM arm on round tubes (2" to 2 1/2" max. pipe diameter). ▶ RAM C-size ball ▶ Uses RAM P/N RAM-271U-2 	



RAM-202U or 350031 (Legacy Xplore SKU) ► To be discontinued 2/2021 - see PMB 10567		RAM Round Plate Base	► 1.5" diameter rubber ball (RAM C size) connected to a flat 2.5" diameter base. ► Mount has pre-drilled holes, including the universal AMPS hole pattern. ► Uses RAM P/N RAM-202U	
RAM-MAG88U (3rd party) *		RAM Tough-Mag™ 88MM Diameter Ball Base	► Magnetic base attaches to metal surfaces. ► Features an industrial-strength N35 grade magnet and rubber coating that protects the metal surface being attached to. ► RAM C-size ball	
https://www.rammount.com				
P1010338		RAM Double Socket Mount with 2-Round Plates and printer mounting hardware Kit (P4T/PP4T/QLn4/ZQ63)	► Consists of two RAM Round Plates, Double Socket Ball mount and hardware for attaching to Zebra Mobile Printer Vehicle Cradles (P4T/PP4T/QLn4/ZQ63). ► RAM C-size ball ► Includes RAM Double Socket Mount (RAM-201U), two Round Plates (RAM-101U) and hardware for mounting to printer cradle.	
RAM B Size Ball (1" diameter) - Typically used for mounting keyboards and mobile handheld computers on vehicles.				
Part Number	Picture	Description	Notes	Required Items
MNT-RAM-B201U		RAM Double Socket Arm (Medium)	► Typically used with Fork Lift Holder for MC3300, MC9300 or TC8x series. ► 3.73" length arm (RAM Medium) Double Socket Arm for 1" ball (B size) ► Uses RAM P/N RAM-B-201U	
RAM-B-238U		RAM Diamond Ball Base Plate	► Typically used with mobile device Vehicle Cradles (i.e. TC5x, TC7x, etc.) ► RAM 2.43" x 1.31" Diamond Ball Base w/ 1" Ball ► Uses RAM P/N RAM-B-238U	
MNT-RAM-B202U		RAM Round Plate Base	► 1" diameter rubber ball (RAM B size) connected to a flat 2.5" diameter base. ► Mount has pre-drilled holes, including the universal AMPS hole pattern. ► Uses RAM P/N RAM-B-202U	

RAM-B-MAG66U (3rd party) *		RAM Tough-Mag™ 66MM Diameter Ball Base	<ul style="list-style-type: none"> ▶ Magnetic base attaches to metal surfaces. ▶ Features an industrial-strength N35 grade magnet and rubber coating that protects the metal surface being attached to. ▶ RAM B-size ball 	
https://www.rammount.com				
MNT-RAM-B247U25		RAM Clamp Base (2.5" max arm/bar)	<ul style="list-style-type: none"> ▶ Typically used with Fork Lift Holder for MC3300 or MC9300 ▶ Attaches to square shaped rail/post of forklift. ▶ 2.5" Max Width Square Rail Base with 1" diameter ball (B size) ▶ Uses RAM P/N RAM-B-247U-25 	
MNT-RAM-B400U		RAM Tough Claw	<ul style="list-style-type: none"> ▶ Typically used when mounting devices to cart handles. ▶ Provides quick and easy tool-less installation and removal on round, square, odd shaped rails and bars. ▶ Can be clamped on rails from 0.625" - 1.5" outer diameter. ▶ Uses RAM P/N RAP-B-400U 	
RAM-B-166U		RAM Windshield Suction Cup Mount	<ul style="list-style-type: none"> ▶ Typically used with mobile device Vehicle Cradles (i.e. TC5x, TC7x, etc.) ▶ RAM Twist Lock Suction Cup with Double Socket Arm and Diamond Base Adapter ▶ Overall Length: 6.75" ▶ Uses RAM P/N RAM-B-166U 	
WA4006		RAM Double Ball Mount with Two Round Plates Kit	<ul style="list-style-type: none"> ▶ Typically used with WAP4 Vehicle Cradle (WA1210-G2 or WA1310-G2) ▶ Consists of a Medium Length B size 1" double socket arm and two 2.5" diameter round plates that contain the universal AMPS hole pattern. ▶ Uses RAM P/N RAM-B-101U 	
Other RAM accessories				
Part Number	Picture	Description	Notes	Required Items



<p>RAP-450U (3rd party) *</p> <p>https://www.rammount.com</p>		<p>RAM Power-Grip™ XL Universal Scanner Gun Holder</p>	<ul style="list-style-type: none"> ► Universal scanner gun holder is designed for use with several large form factor scanner guns. ► Compatible with a full range of ball and socket forklift mounting systems. ► Uses high-strength composite materials. ► Holder features two attachment points: (1) the hole pattern on the back of the holder allows for the connection of the RAM-202U or the RAM-D-254U (hardware is included for these attachments) or (2) the hole pattern on the bottom of the holder allows for the connection of a 2" x 3" plate – RAM-202U-23 or RAM-D-202U-23 – or a drill-down mount (hardware is not included for these attachments). 	
<p>RAP-WASHS2-4U (3rd party) *</p> <p>https://www.rammount.com</p>		<p>RAM Shoulder Washers</p>	<ul style="list-style-type: none"> ► Washers reduce hole size in RAM plate bases (i.e. 350037) ► Required when using some Zebra vehicle mounts (i.e. L10 series) which use a screw with a smaller head size. 	




ProClip Mounting Accessories - typically used for mounting mobile handheld devices

Part Number	Picture	Description	Notes	Required Items
<p>3PTY-PCLIP-241476</p>		<p>ProClip Forklift/Vehicle Cradle Clamp Mount - for Pipe/Bar mounting</p>	<ul style="list-style-type: none"> ► Attaches to circular pipes/bars of vehicles/forklifts ► Accommodates bars from 3/4" to 1 1/8" diameter (19 to 30 mm). ► Uses AMPS hole pattern for mounting ProClip cradles like 3PTY-PCLIP-241475. ► NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	
<p>3PTY-PCLIP-241477</p>		<p>ProClip Forklift/Vehicle Cradle Clamp Mount with Backplate - for Pipe/Bar mounting</p>	<ul style="list-style-type: none"> ► Attaches to circular pipes/bars of vehicles/forklifts ► Accommodates bars from 3/4" to 1 1/8" diameter (19 to 30 mm). ► Includes 3PTY-PCLIP-241476 with an attached backplate that uses AMPS hole pattern for mounting vehicle cradles. ► NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	


3PTY-PCLIP-241478		ProClip Forklift/Vehicle Cradle Clamp Mount - for square frame mounting 	<ul style="list-style-type: none"> ▶ Attaches to square bars of vehicles/forklifts. ▶ Clamp is 5.125" x 3.75" and can accommodate bars of varying thicknesses. ▶ 6" long arm on clamp uses AMPS hole pattern for mounting ProClip cradles like 3PTY-PCLIP-241475. ▶ ProClip SKU #215981 	
3PTY-PCLIP-215677		ProClip Heavy Duty Clamp Mount	<ul style="list-style-type: none"> ▶ Attaches to roll bar of a forklift. Designed to be mounted on square posts and comes with a variety of screw sizes. ▶ The AMPS circular hole pattern on the oval plate is designed to work with a variety of ProClip pedestal bases. ▶ Comes with complete set of screws in various sizes, allowing for the forklift mount to span from 130 mm to 5 mm bar thicknesses. ▶ This component is included with the TC8x series Forklift Cradle Kit (MNT-TC8X-FMKT6-01 and MNT-TC8X-FMKT8-01). 	
3PTY-PCLIP-215772		ProClip Forklift Cradle Clamp Mount with Large Circular Holes 	<ul style="list-style-type: none"> ▶ Attaches to roll bar of a forklift. It accommodates square, round and flat posts and comes with a variety of screw sizes. ▶ The circular hole pattern on the oval plate is designed to work with part number 3PTY-PCLIP-710832 and 3PTY-PCLIP-710833 in those instances where there is a need for affixing to a thicker post. ▶ Circled hole pattern for attachment of round mount base ▶ Comes with complete set of screws in various sizes, allowing for the forklift mount to span from 130 mm to 5 mm bar thicknesses. ▶ Weight capacity over 500 lbs ▶ NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	
3PTY-PCLIP-215500		ProClip Tilt Swivel Mount 	<ul style="list-style-type: none"> ▶ Typically used with TC7X/TC5x series Vehicle Cradles. ▶ For mounting Vehicle Cradle on any flat surface. ▶ Angles/Tilts 15 degrees ▶ Swivels 360 degrees ▶ Extends 1 inch / 2.54 cm ▶ Base Plate and Face Plate has AMPS hole pattern ▶ Weight capacity 25 lbs / 11.34 kgs ▶ NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	

3PTY-PCLIP-710836	 	2" tall Pedestal Mounting Kit - Horizontal Adjustment 	<ul style="list-style-type: none"> ►Typically used with TC7X/TC5x series Vehicle Cradles. ►2 inch Solid-core Aluminum quick-adjust interlocking joint. ►The round bases provide an industry-standard 4-hole AMPS mounting pattern with approximately 20 degrees of rotation to facilitate the perfect mounting angle and device placement. ►Adjustable for optimal positioning ►Weight capacity over 300 lbs <p>►NOTE: Restricted Product - Must open CPR at http://cpr.zebra.lan (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details.</p>	
3PTY-PCLIP-710834	 	ProClip 4" tall Pedestal Mounting Kit - with 90° twist 	<ul style="list-style-type: none"> ►Typically used with TC7X/TC5x series Vehicle Cradles. ►4 inch Solid-core Aluminum quick-adjust interlocking joints. ►Mount also features a 2 inch 90-degree offset extension rod to enable both horizontal and vertical adjustment to achieve optimal device/cradle positioning. ►AMPS hole pattern in mount bases ►Quick and easy installation ►Adjustable for optimal positioning ►Weight capacity over 300 lbs <p>►NOTE: Restricted Product - Must open CPR at http://cpr.zebra.lan (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details.</p>	
3PTY-PCLIP-710835	 	4" tall Pedestal Mounting Kit - Horizontal Adjustment 	<ul style="list-style-type: none"> ►Typically used with TC7X/TC5x series Vehicle Cradles. ►4 inch Solid-core Aluminum quick-adjust interlocking joints. ►Mount also features a 2 inch Horizontal extension rod between mount bases ►AMPS hole pattern in mount bases ►Quick and easy installation ►Adjustable for optimal positioning ►Weight capacity over 300 lbs <p>►NOTE: Restricted Product - Must open CPR at http://cpr.zebra.lan (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details.</p>	



3PTY-PCLIP-215885		ProClip 6" tall Pedestal Mounting Kit - with 90° twist	<ul style="list-style-type: none"> ▶ 6" Solid-core Aluminum quick-adjust interlocking joints. ▶ Mount also features a 2 inch 90-degree offset extension rod to enable both horizontal and vertical adjustment to achieve optimal device/cradle positioning. ▶ AMPS hole pattern in mount bases ▶ Quick and easy installation ▶ Adjustable for optimal positioning. ▶ This component is included with the TC8x series Forklift Cradle Kit (MNT-TC8X-FMKT6-01). 	
3PTY-PCLIP-215886		ProClip 8" tall Pedestal Mounting Kit - with 90° twist	<ul style="list-style-type: none"> ▶ 8" Solid-core Aluminum quick-adjust interlocking joints. ▶ Mount also features a 2 inch 90-degree offset extension rod to enable both horizontal and vertical adjustment to achieve optimal device/cradle positioning. ▶ AMPS hole pattern in mount bases ▶ Quick and easy installation ▶ Adjustable for optimal positioning. ▶ This component is included with the TC8x series Forklift Cradle Kit (MNT-TC8X-FMKT8-01). 	
3PTY-PCLIP-241479		ProClip Standard Duty 5" Pedestal Mount 	<ul style="list-style-type: none"> ▶ Standard Duty mount is designed to be used in smooth-riding vehicles and areas with low risk of external contact. ▶ Length of arm assembly is 5". ▶ Uses AMPS hole pattern for mounting ProClip cradles like CRD-TC56-CVCD2-02. ▶ NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	
3PTY-PCLIP-710837		ProClip 6" tall Pedestal Mounting Kit - Horizontal & Vertical Adjustment, For TC7X/TC5x Vehicle Cradles	<ul style="list-style-type: none"> ▶ 6 inch Solid-core Aluminum quick-adjust interlocking joint. ▶ The round bases provide an industry-standard 4-hole AMPS mounting pattern with approximately 20 degrees of rotation to facilitate the perfect mounting angle and device placement. ▶ Adjustable for optimal positioning ▶ Weight capacity over 300 lbs ▶ NOTE: Restricted Product - Must open CPR at http://cpr.zebra.lan (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	




3PTY-PCLIP-710838		ProClip 8" tall Pedestal Mounting Kit - Horizontal Adjustment, For TC7X/TC5x Vehicle Cradles	<ul style="list-style-type: none"> ▶ 8 inch Solid-core Aluminum quick- adjust interlocking joint. ▶ The round bases provide an industry-standard 4-hole AMPS mounting pattern with approximately 20 degrees of rotation to facilitate the perfect mounting angle and device placement. ▶ Adjustable for optimal positioning ▶ Weight capacity over 300 lbs ▶ NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	
215889 (3rd party) *		ProClip Heavy-Duty Forklift Mount	<ul style="list-style-type: none"> ▶ Solid-core aluminum for exceptional strength ▶ Smaller teeth than ProClip Super-Duty pedestals for more adjustment options. ▶ Forklift mount can be mounted on square surfaces, perfect for forklift cages. ▶ Uses AMPS mounting pattern. ▶ Can be used with L10 series tablets. Not recommended for use with R12 series tablets. 	
241372 (3rd party) *		ProClip Keyboard Mount	<ul style="list-style-type: none"> ▶ Adjustable keyboard tray with AMPS holes for various keyboards ▶ Can be used with most ProClip tablet holders or Zebra L10 Vehicle Docks. ▶ NOT compatible with R12 series Secure Mobile Docks due to the shorter length of the docks' mounting studs. ▶ Multiple AMPS hole patterns and VESA 75 & 100 for easy mounting 	
Gamber-Johnson Mounting Accessories - typically used for mounting mobile handheld devices or tablets				
Part Number	Picture	Description	Notes	Required Items

<p>7160-0854 (3rd party) *</p> <p>https://www.gamberjohnson.com</p>		<p>Gamber-Johnson Barcode Scanner/Mobile Computer Mount</p>	<ul style="list-style-type: none"> ▶ Attaches to the overhead guard leg on forklift trucks. It is designed to fit rectangular pillars between 1.5" to 2.5" wide with easy installation ▶ Heavy gauge steel construction for long-term durability in a rugged environment. ▶ Black powdercoat finish for maximum corrosion resistance. ▶ Designed to securely fit most handheld barcode scanners and mobile computers. ▶ Works with wireless and wired devices. 	
<p>7160-1306 (3rd party) *</p> <p>https://www.gamberjohnson.com</p>		<p>Gamber-Johnson Scanner Pocket Mount with Small Back Plate</p>	<ul style="list-style-type: none"> ▶ Scanner mount is designed to support scanner or handheld computer in a rugged environment by holding it securely to the overhead guard leg of fork lift vehicle. ▶ Adjustable in width, and offers 3 mounting orientations from the overhead guard leg or one of Gamber-Johnson's extension bars. ▶ Designed to hold most handheld computers and scanners. ▶ Adjustable to fit 3.5" to 4.5" width and set at 2.5" tall ▶ Designed to be orientated inside, outside, or inline with the overhead guard leg. ▶ Attaches to rectangular overhead guard legs that are 1.5 in to 2.5 in (3.81 cm to 6.35 cm) wide. 	
<p>Gamber Johnson (3rd party) *</p> <p>7160-0984</p> <p>http://www.gamberjohnson.com</p>		<p>Gamber Johnson Keyboard Bracket for Forklift Cradle (Low Profile)</p>	<ul style="list-style-type: none"> ▶ Attaches to the back of any Gamber-Johnson Tablet Docking Stations and Cradles using the 75mm VESA pattern. ▶ NOT compatible with R12 series Secure Mobile Docks due to the shorter length of the docks' mounting studs. ▶ Lower profile design allows keyboard to be mounted in a vertical position directly under the ET5X Cradle. ▶ Keyboard attaches using a circular mounting disk that has the AMPS hole pattern on it ▶ Rotating 3" arm and Mini Clevis provides independent keyboard adjustability ▶ Heavy gauge steel and aluminum construction for long-term durability ▶ Black powdercoat finish for maximum corrosion resistance 	


<p>Gamber Johnson (3rd party) *</p> <p>7160-0799</p> <p>http://www.gamberjohnson.com</p>		<p>Gamber Johnson Keyboard Mounting Tray for Forklift Cradle</p>	<ul style="list-style-type: none"> ▶ Attaches to the back of any Gamber-Johnson Tablet Docking Stations and Cradles using the 75mm VESA pattern. ▶ NOT compatible with R12 series Secure Mobile Docks due to the shorter length of the docks' mounting studs. ▶ The Tablet Keyboard Mount can be placed on any Gamber-Johnson Upper Pole, Motion Attachment or "smiley face" pattern found on a MCS Console System (ordered separately) allowing flexibility in how you want to place the keyboard in a vehicle ▶ Keyboard attaches using a circular mounting disk that has the AMPS hole pattern on it ▶ A tension knob is used to secure the keyboard to the tray and allows the keyboard to be rotated to an ergonomic position and locked into place ▶ An offset mounting pattern on the mounting disk provides adjustability to position the keyboard closer to the Docking Station or Cradle ▶ Keyboard can be tilted down 10° for working or 90° vertically when stowed, adjustable handle secures keyboard at the desired position ▶ Heavy gauge steel and aluminum construction for long-term durability ▶ Black powdercoat finish for maximum corrosion resistance 	
---	---	--	---	--

Lund Mounting Accessories - typically used for mounting L10 and R12 series tablets in vehicles (non-forklift installations)

Part Number	Picture	Description	Notes	Required Items
350001		Adjustable Brace for Pole Mounts, 10"-16"	<ul style="list-style-type: none"> ▶ Support Brace Attaches to any Pole assembly ▶ Provides additional support for Pole Assemblies and Vehicle Floor Pole Mounts. ▶ Offers an adjustable support from 10"-16" ▶ Lund P/N BRACE2 	
350002		0-90 Degree Tilt and Rotate Clevis	<ul style="list-style-type: none"> ▶ To be discontinued 2/2021 - see PMB 10567 ▶ Heavy Duty Adjustable 90 degree Tilt / Swivel Adapter ▶ Lund P/N TS-90 	

350042		L Bracket	<ul style="list-style-type: none"> ► To be discontinued 2/2021 - see PMB 10567 ► Bracket is typically attached to back of legacy Xplore vehicle cradles/docks with 100x100 mm VESA or 100x50 mm VESA hole patterns and then connects to Clevis adapters. Includes L10 series, B10, C10 and D10. 	
350004		Universal Keyboard Tray	<ul style="list-style-type: none"> ► To be discontinued 2/2021 - see PMB 10567 ► Universal Keyboard Tray Assembly with TS-1 Tilt/Swivel and Slotted Extension Arm ► Lund P/N UKBD-A 	
350021		Keyboard Tray for TG3 keyboard	<ul style="list-style-type: none"> ► Used to mount TG3 Non-Rugged Keyboard with Trackpad (420005) 	

Other Mounting Accessories - typically used for mounting L10 and R12 series tablets in vehicles (non-forklift installations)

Part Number	Picture	Description	Notes	Required Items
Gamber Johnson (3rd party) * see website http://www.gamberjohnson.com		Gamber Johnson vehicle mounting solutions	<ul style="list-style-type: none"> ► See Gamber-Johnson website for a variety of mounting options for public safety and service vehicles. 	