




# PEDESTAL NOUNTING SOLUTIONS FOR INSTALLATION OF HEAVIER DEVICES



<u>Kr</u>eski

#### PAGE **PEDESTAL MOUNTS** SOLID PEDESTAL MOUNTS 4-6 PEDESTAL MOUNTS FOR CABLE ENTRY 7 PEDESTAL BALL MOUNTS 8-9 10-11 **PIPE MOUNTS U-MOUNTS** 12 FORKLIFT CLAMP MOUNTS 13-14 FORKLIFT CLAMP BALL MOUNTS 15 SUCTION CUP MOUNTS 16 17 STANDS FOR CABLE ENTRY PEDESTAL MOUNTS SOLID PEDESTAL MOUNTS WITH SWIVELING TOP 18 **TABLET PRODUCTS** 18 19 HANDHELD HOLDERS **PRINTER HOLDERS & MOUNTS** 19 20 LAPTOP HOLDERS

- 21 MULTIMOVECLIP
- 22-24 PARTS FOR SOLID PEDESTAL MOUNTS
- 25 ACCESSORIES
- 26-27 PARTS FOR CABLE ENTRTY PEDESTAL MOUNTS



10◎※ 赤ひむ

PRODUCT IS COMPATIBLE WITH SQUARE BASE/TOP

- PRODUCT IS COMPATIBLE WITH ROUND BASE/TOP
- PRODUCT IS COMPATIBLE WITH CABLE ENTRY
  - PRODUCT IS COMPATIBLE WITH MOUNTS WITH SMALL TEETH
- PRODUCT IS COMPATIBLE WITH MOUNTS WITH LARGE TEETH
- PRODUCT HAS A SWIVELING FEATURE
- PRODUCT IS EQUIPPED WITH WINGNUT









# PEDESTAL NOUNTING SOLUTIONS FOR INSTALLATION OF HEAVIER DEVICES

- A modular system for a stable and strong installation of heavier devices
- Provides improved working environment with device within easy reach
- For use in any vehicle, flat surface, round pole or pipe, square rod
- Durable products with low weight, that withstand a lot of weight
- Contact Brodit for customized solutions on special projects
- Predrilled holes for easy attachment of a device holder
- Complete sets, or mix and match your own solution
- Heavy duty and standard duty range
- For professional everyday use
- Discreet design, color: black
- Solid and hollow range
- Made of aluminum
- Made in Sweden













### HEAVY DUTY PEDESTAL MOUNTS WITH WINGNUTS

- A versatile Heavy Duty Pedestal Mount with wingnuts which allow for easy adjustment
- The joints are super strong, thanks to the small interlocking teeth
- The small interlocking teeth can be angled in 0-180° (16 positions in steps of 11,25°)
- Rod diameter 30 mm, solid rod
- Made of aluminum
- Square base/top: 50x50 mm with dual 4 mm AMPS holes
- Round base/top: diameter 64 mm with multiple 4 mm AMPS holes, radial adjustment





#### HEAVY DUTY PEDESTAL MOUNT WITH WINGNUTS ROUND BASE & SQUARE TOP

<u>ltem no.</u>	Product		Total height
<u>215836</u>	Pedestal Mount 2"	Round base, square top	62 mm
<u>215837</u>	Pedestal Mount 4"	Round base, square top	<u>114 mm</u>
<u>215838</u>	Pedestal Mount 6"	Round base, square top	164 mm
<u>215937</u>	Pedestal Mount 8"	Round base, square top	214 mm
	10 ※		



#### HEAVY DUTY PEDESTAL MOUNT WITH WINGNUTS ROUND BASE & TOP

Product		Total height
Pedestal Mount 2"	Round base, round top	62 mm
Pedestal Mount 4"	Round base, round top	<u>114 mm</u>
Pedestal Mount 6"	Round base, round top	164 mm
Pedestal Mount 8"	Round base, round top	214 mm
Pedestal Mount 10"	Round base, round top	264 mm
	Pedestal Mount 2" Pedestal Mount 4" Pedestal Mount 6" Pedestal Mount 8"	Pedestal Mount 2"Round base, round topPedestal Mount 4"Round base, round topPedestal Mount 6"Round base, round topPedestal Mount 8"Round base, round top





### **HEAVY DUTY PEDESTAL MOUNTS**

- Set the Heavy Duty Pedestal Mount into desired angles
- The joints are super strong, thanks to the large interlocking teeth
- The large interlocking teeth can be angled in 0-195° (8 positions in steps of 24°)
- Rod diameter 30 mm, solid rod
- Made of aluminum
- Square base/top: 50x50 mm with dual 4 mm AMPS holes
- Round base/top: diameter 64 mm with multiple 5 mm AMPS holes, radial adjustment





#### HEAVY DUTY PEDESTAL MOUNT WITH SQUARE BASE & TOP

<u>ltem no.</u>	Product	Total height
215532	Pedestal Mount 2"	62 mm
<u>215525</u>	Pedestal Mount 4"	114 mm
<u>215526</u>	Pedestal Mount 6"	164 mm
215533	Pedestal Mount 8"	214 mm
215550	Pedestal Mount 10"	264 mm





#### HEAVY DUTY PEDESTAL MOUNT WITH ROUND BASE & TOP

<u>ltem no.</u>	Product	Total height
<u>215786</u>	Pedestal Mount 2"	62 mm
<u>215787</u>	Pedestal Mount 4"	114 mm
<u>215788</u>	Pedestal Mount 6"	164 mm
<u>215789</u>	Pedestal Mount 8"	214 mm
<u>215790</u>	Pedestal Mount 10"	264 mm



### HEAVY DUTY PEDESTAL MOUNTS WITH TOP

#### SWIVELING HEAVY DUTY PEDESTAL MOUNT

- Top part of the mount swivels 300°
- For installation of two devices back to back
- Mounting surfaces are angled 10° and 20°
- With MultiMoveClip, fits for all Brodit holders with tilt swivel
- Round base mounting plate, diameter 100 mm, thickness 9 mm, 6x6,5 mm holes
- Rod diameter 30 mm, solid rod, made of aluminum

<u>Item no.</u>	Product	Total height
<u>215523</u>	Swiveling Pedestal Mount 6"	262 mm
	-	





300°

SWIVELS!

#### HEAVY DUTY PEDESTAL MOUNT 4" WITH MULTIMOVECLIP

- With MultiMoveClip, fits for all Brodit holders with tilt swivel
- Round base mounting plate, diameter 100 mm, thickness 9 mm, 6x6,5 mm holes
- Rod diameter 30 mm, solid rod, made of aluminum

ltem no.	Product	Total height
215518	Pedestal Mount with MultiMoveClip"	138 mm



#### HEAVY DUTY PEDESTAL MOUNT 4" WITH BASE PLATE

- Square mounting plate, 50x50 mm, dual 4 mm AMPS holes
- Round base mounting plate, diameter 100 mm, thickness 9 mm, 6x6,5 mm holes
- Rod diameter 30 mm, solid rod, made of aluminum

Item no. Product

ltem no.	Product	Total height
215563	Pedestal Mount 4"	124 mm





### PEDESTAL MOUNTS FOR CABLE ENTRY

- Hollow Pedestal Mounts for cable entry
- For use on store counter tops, events , fairs etc.
- Available with a fixed top and a swiveling top
- Swiveling top turns approximately 345°, made of Acteal plastic
- Rod diameter 35 mm, hole inside diameter 25 mm, made of aluminum
- HOLLOW RANGE FOR CABLE ENTRY! • Round base mounting plate, diameter 64 mm, thickness 9 mm, 6x4 mm holes
  - With MultiMoveClip, fits for all Brodit holders with tilt swivel

SWIVELS!



#### PEDESTAL MOUNT FOR CABLE ENTRY, WITH SWIVELING TOP

Top angle	15°	<u> </u>	45°	60°	75°	90°
Height 4,5" + top	215629	215630	215631	215632	215633	215634
Height 6,5" + top	215635	215636	215637	215638	215639	215640
Height 8,5" + top	215641	215642	215643	215644	215645	215646





Kreski
Zapraszamy do kontaktu!
Więcej informacji: www.kreski.pl

#### PEDESTAL MOUNT FOR CABLE ENTRY, WITH FIXED TOP

<u>Top angle</u>	15°	30°	45°	60°	75°	90°
<u>Height 4" + top</u>	215611	215612	215613	215614	215615	215616
<u>Height 6" + top</u>	215617	215618	215619	215620	215621	215622
Height 8" + top	215623	215624	215625	215626	215627	215628







### HEAVY DUTY PEDESTAL BALL MOUNTS

- With ball head, size 20 mm. Tilts 210°, swivels 360°
- Loading weight 3 kg
- Rod made of aluminum, lever made of metal
- Mounting plate 42x50 mm with 4 mm AMPS holes
- Compatible with all Brodit holders with tilt swivel

#### HEAVY DUTY PEDESTAL BALL MOUNT

<u>Item no.</u>	Product	Total height
202024	Heavy duty pedestal ball mount	180 mm

### STANDARD DUTY PEDESTAL BALL MOUNTS

- With ball head, size 20 mm. Tilts 210°, swivels 360°
- Rod diameter 23 mm, loading weight 1-3 kg

 $\bigcirc$  K

- Rod made of aluminum, wingnut made of plastic
- Mounting plate 42x50 mm with 4 mm AMPS holes
- Compatible with all Brodit holders with tilt swivel

#### STANDARD DUTY PEDESTAL BALL MOUNT

<u>Item no.</u>	Product	Total height
<u>202016</u>	Pedestal Mount 5"	132 mm
202010	Pedestal Mount 6,5"	165 mm
202020	Pedestal Mount 10"	251 mm
202025	Extension arm, for use with item no 202010-202020	170 mm
202019	Pedestal Mount 6,5" with cup holder mount	234 mm
<u>202018</u>	Pedestal Mount 10,5" with cup holder mount	267 mm
202017	Pedestal Mount 6" with suction cup	160 mm
202011	Pedestal Mount 7,5" with suction cup	190 mm
202012	Pedestal Mount 11" with suction cup	280 mm
202015	Pedestal Mount 10" with small clamp mount	
	Opens max 40 mm or Ø30 mm.	345 mm
202014	Pedestal Mount 10" with heavy duty clamp mount	
	Opens 5-65 mm	340 mm













Item no. 202019

Item no. 202018







Item no. 202014



Item no. 202020

Item no. 202025







Item no. 202016

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



Item no. 202017

Item no. 202024





Item no. 202011



### **EXTRA HEAVY DUTY PIPE MOUNTS**

- A pipe mount for round bars. Perfect for installations in heavy duty vehicles or where road conditions are rough
- For use on motorcycles, boats, carts, stands, wheelchairs, airplanes etc
- Provides a very sturdy mounting platform for tablets, rugged PDAs, smartphones, monitors, printers etc
- Mounting plate 69x75 mm with multiple M4 AMPS holes



<u>Item no.</u>	Product	Diameter
<u>215935</u>	Pipe mount	Fits diameter 25 mm (40 mm if insert removed)
<u>215858</u>	Pipe mount	Fits diameter 30 mm (40 mm if insert removed)
<u>215859</u>	Pipe mount	Fits diameter 35 mm (40 mm if insert removed)
<u>215860</u>	Pipe mount	Fits diameter 40 mm





### **HEAVY DUTY PIPE MOUNTS**

- Pipe mounts for round pipes/bars
- Easy to install, a very firm, tight fit







#### HEAVY DUTY PIPE MOUNT, BALL MOUNT

- Fits for round pipes/bars 20-32 mm
- Mounting plate 50x42 mm with 4 mm AMPS holes
- Made of aluminum
- Item no. Product

202026 Swiveling mounting plate, tilts 210°, rotates 360°

#### BARGRIP

- Fits for round pipes/bars 22-31 mm
- Mounting plate 50x42 mm with 2 mm AMPS holes
- Made of plastic
- Item no. Product
- 215792 Swiveling mounting plate on arm, tilts 210°, rotates 360°
- 215793 Fixed mounting plate, AMPS holes
- 215794 Fixed mounting plate, 4 holes for nut + bolt

#### **BARGRIP XL, BALL MOUNT**

- Fits for round pipes/bars 31-50 mm
- Mounting plate 50x42 mm with 4 mm AMPS holes
- Made of plastic

Item no. Product

<u></u>	110000
<u>215944</u>	Swiveling mounting plate on arm, tilts 210°, rotates 360°
<u>215945</u>	Fixed mounting plate, AMPS holes
215946	Fixed mounting plate 4 holes for nut + bolt



### **STANDARD PIPE MOUNTS**

- For use on most types of vehicles, trucks, motorcycles, boats, carts, stands, wheelchairs, airplanes etc sTANDARD
   Item no. 215938+215966+215969 are made of aluminum
   Item no 215664-215667 are made of ABS/Acetal plastic



Item no. 215664

Item no. Item no. 215938 215969

Item no. 215966

Item no. 215665

Item no.

215666

Item no. 215667

<u>ltem no.</u>	Product	Fits pipe diameter	Holes
<u>215664</u>	Pipe mount, Mounting plate 50x42 mm	19-30 mm	2 mm AMPS holes
215938	Pipe mount, Mounting plate 55x42 mm	19-30 mm	Dual M4 AMPS holes
215969	Pipe mount with wingnuts,		
	Mounting plate 50x40 mm	29-40 mm	2 mm AMPS holes
215966	Pipe mount with MultiMoveClip,		
	With locking knobs, easy to install/remove	20 mm	
215665	Pipe mount, Mounting plate 160x50 mm	19-30 mm	6x2 mm holes AMPS
<u>215666</u>	Pipe mount, Mounting plate angled 45°	19-30 mm	6x2 mm holes AMPS
<u>215667</u>	Pipe mount, Mounting plate angled 90°	19-30 mm	6x2 mm holes AMPS





### **U-MOUNTS**


- For installation onto square objects, such as the rollbar of a fork lift or a square pillar in a ware house
- Fits rods/bars 35-40 mm or 45-50 mm
- Made of aluminum
- Dual M4 AMPS holes





2









### HEAVY DUTY FORKLIFT CLAMP MOUNTS

- For installation onto square objects, such as the roll bar of a forklift, rods, poles, tubes, plates, pipes.
- Fits square objects with thickness 5-130 mm
- Made of aluminum





.0

#### HEAVY DUTY CLAMP MOUNT, AMPS

- Multiple M4 AMPS holes
- Width between rods 87 mm

Item no. Product

215677 Forklift mount, multiple M4 AMPS holes







#### HEAVY DUTY CLAMP MOUNT WITH PEDESTAL MOUNT FOOT

- Large interlocking teeth Heavy Duty Pedestal Mount foot
- Width between rods 36 mm

Item no. Product

215784 Forklift mount, integrated top/base

Kreski

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl








### HEAVY DUTY FORKLIFT CLAMP MOUNTS

- For installation onto square objects, e.g. rollbar of a forklift, rods, poles, tubes, plates, pipes.
- Fits square objects with thickness 5-130 mm, width between rods 87 mm
- With a Heavy Duty Pedestal Mount arm with wingnuts, rod diameter 30 mm, solid rod with 90° angle
  One end with small interlocking teeth, can be angled in 0-180° (16 positions in steps of 11,25°),
  - the other end with large interlocking teeth, can be angled in 0 100° (10 positions in steps of 11,20°), a Bound base (ten diameter 64 mm with multiple 4 mm AMPS balas, radial adjustment
- Round base/top: diameter 64 mm with multiple 4 mm AMPS holes, radial adjustment
- Made of aluminum



<u>Kr</u>eski



Item no. 215888



Item no. 215889





Item no. 215890

Item no. 215891

00000000

#### FORKLIFT CLAMP MOUNT WITH HEAVY DUTY PEDESTAL MOUNT ARM

Item no.	Product	Length	
<u>215888</u>	Clamp mount 4"	114 mm + clamp mount	<b>11111</b>
<u>215889</u>	Clamp mount 6"	164 mm + clamp mount	
<u>215890</u>	Clamp mount 8"	214 mm + clamp mount	111186
<u>215891</u>	Clamp mount 10"	276 mm + clamp mount	_

# □○\$?\*\*\*





### STANDARD DUTY FORKLIFT CLAMP BALL MOUNTS

- For installation onto square objects, e.g. rollbar of a forklift, rods, poles, tubes, plates, pipes.
- Fits square objects with thickness 5-130 mm
- With a Standard Duty Pedestal Mount arm with wingnuts
- Mounting plate 50x42 mm with 4 mm AMPS holes
- Made of aluminum





<u>Kr</u>eski



Item no. 215978



Item no. 215979





Item no. 215980

Item no. 215981

#### FORKLIFT CLAMP MOUNT WITH STANDARD DUTY PEDESTAL BALL MOUNT ARM

Item no.	Product
<u>215978</u>	Length 140 mm, width between rods 72 mm
<u>215979</u>	Length 172 mm, width between rods 72 mm
<u>215980</u>	Length 140 mm, width between rods 97 mm
215981	Length 172 mm, width between rods 97 mm





### **HEAVY DUTY SUCTION CUP MOUNTS**

- Extra strong, heavy duty suction cup mounts
- Provides a firm installation on flat surfaces such as glass or metal
- Made of metal and plastic



Item no. 215712

Item no. 215671

Item no. 215675

Item no. 215854

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl 0

EXTRA STRONG SUCTION CUP!





Item no. 215679

Product	Holes
Single Suction Cup Mount	Dual 2 mm AMPS
Dual Suction Cup Mount	Dual 4 mm AMPS
Triple Suction Cup Mount	Dual 4 mm AMPS
Dual Suction Cup Mount	
with Pedestal Mount 8"	Dual 4 mm AMPS
Wingnut + distance plate	4 mm AMPS
Distance plate, 5 pcs	4 mm AMPS
	Single Suction Cup Mount Dual Suction Cup Mount Triple Suction Cup Mount Dual Suction Cup Mount with Pedestal Mount 8" Wingnut + distance plate









Item no. 215961

### TABLETOP FOOT FOR CABLE ENTRY

- A stable mounting platform for all Pedestal Mounts (Pedestal Mount NOT included)
- For any device in shops, at exhibitions, events, reception desks, kiosks etC
- 230x230x40 mm ( LxWxH ), 2571 g
- Multiple 4 mm AMPS holes, radial adjustment
- Made of Acetal plastic

#### TABLETOP FOOT FOR PEDESTAL MOUNT SOLID & HOLLOW RANGE

<u>Item no.</u>	Product	Holes
215961	Stable tabletop base for cable entry	Multiple AMPS holes, radial adjustment



### FLOOR STAND FOR CABLE ENTRY

- A stable mounting platform for any device in shops, at exhibitions, at events, receptions, etc.
- 30x30x113 cm ( LxWxH ), 13,7 kg
- Made of aluminum, top made of Acetal plastic
- Top with dual 2 mm AMPS holes, Foot with 4x7,5 mm holes
- Angled top 45°

О

#### FLOOR STAND WITH ANGLED TOP 45° FOR CABLE ENTRY

<u>Item no.</u>	Product	Holes	
<u>215678</u>	Stable floor stand for cable entry	Dual AMPS holes + 4 holes	

#### ca 345°

SWIVELS!

### PEDESTAL MOUNTS WITH SWIVELING TOP

- A light weight, smaller size Pedestal Mount perfect for use in cramped places LIGHT WEIGHT & SMALLER SIZE!
- Slim design top, rod diameter 30 mm, solid rod, made of aluminum
- Height 117 mm + top
- Swiveling top turns approximately 345°, made of Acetal plastic

Kreski

• Top with dual 2 mm AMPS holes, Foot with 6x4 mm holes

Item no.	Product	Top angle
<u>215815</u>	Swiveling Pedestal Mount	15° angled top
<u>215816</u>	Swiveling Pedestal Mount	30° angled top
<u>215817</u>	Swiveling Pedestal Mount	45° angled top
<u>215818</u>	Swiveling Pedestal Mount	60° angled top
<u>215819</u>	Swiveling Pedestal Mount	75° angled top
<u>215820</u>	Swiveling Pedestal Mount	90° angled top
()		

### **RUGGED TABLET PRODUCTS**

- Tough sleeve: robust case/jacket with built in bumpers
- Reduces vibrations and bumps
- · Customized design with a perfect, firm fit
- Easy insert/removal thanks to quick connector
- Charging via sliding power block
- Durable charging connector for frequent wear in everyday professional
- Move easily between vehicle-vehicle-warehouse-office
- Improved working environment
- Made of ABS/Acetal plastic
- With AMPS holes
- For use in office/central: table stand for charging of several devices
- Products are available on www.brodit.com







### **RUGGED HANDHELD HOLDERS**

- Robust holders for professional everyday use
- Customized products with a firm, perfect fit
- Provides for an efficient, safe and comfortable working environment
- With or without charging: with cig-plug cable or for fixed installation
- With easy-switching system for easy holder upgrade
- With tilt swivel for easy adjustment of device angle
- Made of ABS/Acetal plastic
- With AMPS holes
- For use in office/central: table stand for charging of several devices
- Products are available on www.brodit.com

### **RUGGED PRINTER HOLDERS & MOUNTS**

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl

- Robust holders and mounts for professional everyday use
- Customized products with a firm, perfect fit
- Provides for an efficient, safe and comfortable working environment
- Made of ABS/Acetal plastic
- With AMPS holes
- Products are available on www.brodit.com





### **HEAVY DUTY LAPTOP HOLDERS**

000

• Robust holders for professional everyday use

1111

- Provides for an efficient, safe and comfortable working environment
- Made of metal





Item no. 216059

Item no. 216033

Item no. 216047

#### **HEAVY DUTY LAPTOP HOLDERS**

<u>ltem no.</u>	Product	
210659	Keyboard and tablet mount. With 5 mm VESA 75/100 holes and	
	multiple 5 mm AMPS holes. For installing a keyboard and a tablet	
	as a unit. Fits all standard keyboards and tablets.	
216033	Laptop holder. Fits laptops with width 283-384 mm,	
	max thickness 25 mm. With 4 mm AMPS holes	
216047	Laptop holder. Fits laptops with width 283-384 mm,	
	max thickness 25 mm. With back support. With 4 mm AMPS holes.	

<u>Kr</u>eski

### MULTIMOVECLIP

- An adapter system for easy attachment and removal of a holder onto a mount
- Allows you to easily switch holders without changing the mount
- Move the holder between vehicle-warehouse-office
- Made of Acetal/ABS plastic
- Compatible with all Brodit holders with tilt swivel
- 4 mm AMPS holes











Item no. 215699

Item no. 215718

Item no. 215822

Item no. 215527

Item no. 215591

Item no.	Product
215699	MultiMoveClip, high strength easy open
<u>215718</u>	MultiMoveClip, high strength easy open high
215822	MultiMoveClip, high strength easy open high, with lock + 2 keys
215591	Screw set. 4 screws + 4 nuts + 1 torx key. Color: Black
	(for installing a MultiMoveClip onto a Pedestal Mount)
216591	Screw set. 4 screws + 4 nuts + 1 torx key. Color: Silver
	(for installing a MultiMoveClip onto a Pedestal Mount)
215527	Adapter plate, for use of holder without tilt swivel on MultiMoveClip
	Dual 2 mm AMPS holes



## HEAVY DUTY EXTENSION PARTS WITH SMALL TEETH

- Create your own unique solution by combining various Heavy Duty Pedestal Mount parts
- The joints are super strong, thanks to the small interlocking teeth, can be angled in 0-180° (16 positions in steps of 11,25°)
- With wingnuts which allow for easy adjustment (NOT included in base/top)
- Rod diameter 30 mm, solid rod
- Made of aluminum
- NOTE: Each part is marked 1 or 2. In order to make a straight design (angle 0°), you need to match a "part 1" with a "part 2". If you mount "part 1" onto "part 1", or "part 2" onto "part 2", it will not be possible to create a straith (angle 0°) design, but the parts will still be compatible. (Only applies for the heavy duty Pedestal Mounts with small interlocking teeth.)







Extension rod 2", 90° angle

Item no. 215850



14 mm

52 mm

Item no. 215849


Product	Total length	CC-dimension
Base/top, square mounting plate 50x50 mm ("part 2")	46 mm	31 mm
Dual 4 mm AMPS holes		
Product	Total length	CC-dimension
Base/top, round mounting plate 64 mm diameter ("part 1") Multiple 4 mm AMPS holes, radial adjustment	46 mm	31 mm
Base/top, round mounting plate 64 mm diameter ("part 2")	46 mm	31 mm
	Base/top, square mounting plate 50x50 mm ("part 2") Dual 4 mm AMPS holes <i>Product</i> Base/top, round mounting plate 64 mm diameter ("part 1") Multiple 4 mm AMPS holes, radial adjustment	Base/top, square mounting plate 50x50 mm ("part 2")       46 mm         Dual 4 mm AMPS holes       46 mm         Product       Total length         Base/top, round mounting plate 64 mm diameter ("part 1")       46 mm         Multiple 4 mm AMPS holes, radial adjustment       46 mm

82 mm



## **HEAVY DUTY EXTENSION PARTS WITH LARGE TEETH**

- Create your own unique solution by combining various Heavy Duty Pedestal Mount parts
- The joints are super strong, thanks to the large interlocking teeth, can be angled in 0-195° (8 positions in steps of 24°) • Rod diameter 30 mm, solid rod
- Made of aluminum



Item no. 215724

Item no. 215674

<u>ltem no.</u>	Product	Total length	Inner length	CC-dimension
<u>215515</u>	Extension rod 2"	82 mm	14 mm	52 mm
<u>215514</u>	Extension rod 4"	132 mm	64 mm	102 mm
<u>215534</u>	Extension rod 6"	182 mm	114 mm	152 mm
<u>215549</u>	Extension rod 8"	232 mm	164 mm	202 mm
<u>215724</u>	Extension rod 2", 90° angle	82 mm	14 mm	52 mm
<u>215674</u>	Extension rod 4", rotatable	132 mm	64 mm	102 mm





Item no. 215516



Item no. 215785

Item no.	Product	Total length	CC-to surface
215516	Base/top, square mounting plate 50x50 mm	46 mm	31 mm
	Dual 4 mm AMPS holes		

<u>ltem no.</u>	Product	Total length	CC-to surface
215785	Base/top, round mounting plate 46 mm diameter	46 mm	31 mm
	Multiple 5 mm AMPS holes, radial adjustment		

### **MOUNTING BASE PLATES & TOPS**

• Create your own unique solution by combining mounting plates and tops with various Pedestal Mount parts





Item no. 215522



- Round mounting/base plates for added stability
- Spreads the strain on the mounting surface thanks to hole pattern over a larger area
- Made of ABS plastic
- Thickness 9 mm


<u>ltem no.</u>	Product	Diameter	Holes
215522	Round mounting plate	100 mm	M4 AMPS holes + 6x6,5 mm holes
<u>215807</u>	Round mounting plate	200 mm	M4 AMPS holes

Item no. 215597

<u>ltem no.</u>	Product	Diameter	Holes	
<u>215597</u>	Round mounting plate	100 mm	6x6,5 mm + 6 M4 holes	
<u>215598</u>	Round mounting plate	150 mm	6x6,5 mm + 6 M4 holes	
<u>215599</u>	Round mounting plate	200 mm	6x6,5 mm + 6 M4 holes	







111111

Item no. 215524

#### SWIVELING TOP PLATE

- For installation of equipment that needs to be turned for use from different directions
- Made of aluminum
- Swivels 300°. Diameter 64 mm. Thickness 22 mm

Item no. 215521

<u>Item no.</u>	Product	Holes
<u>215521</u>	Swiveling top plate, adjustable in fixed steps	AMPS holes + 4 holes
<u>215905</u>	Swiveling top plate, stepless adjustment	AMPS holes + 4 holes

#### ANGLED TOP PART

- For installation of two devices back to back, for example a payment terminal and a printer
- Mounting surfaces are angled 10° and 20°
- Made of Acetal plastic
- Dimensions 64x64x46 mm (L+W+H)

<u>ltem no.</u>	Product	Holes
215524	Angled top part 10° and 20°	Dual 2 mm AMPS holes + 4 mm AMPS + 1 large hole

### **VIBRATION DAMPERS**

- Reduces vibrations and bumps, for use in a rough environment
- Mount the vibration dampers between the holder and the Pedestal Mount
- Damper builds 17 mm, damper plate builds 22 mm
- AMPS holes



Item no. 215881



Item no. 215997



<u>ltem no.</u>	Product	Max weight	
215881	Vibration damper, hard (2 pcs)	For installations weighing up to 1500g	
<u>215882</u>	Vibration damper, soft (2 pcs)	For installations weighing up to 300g	
<u>215998</u>	Vibration damper plate 68x68 mm, hard	For installations weighing up to 1500g	
<u>215997</u>	Vibration damper plate 68x68 mm, soft	For installations weighing up to 300g	5
		For installations weighing up to 300g REDUCES VIBRATIONS & BUMPS!	

### **WINGNUTS & SCREWS**

For use on all Heavy Duty Pedestal Mounts (NOT for Standard Duty Pedestal Mounts)







Product

<u>ltem no.</u>	Product
<u>215670</u>	Wing nuts. Replaces standard nuts on Heavy Duty Pedestal Mounts (2 pcs)
<u>215535</u>	Screws. 2 screws + 2 nuts + 1 Allen key. For Heavy Duty Pedestal Mounts. Color: Black
<u>216535</u>	Screws. 2 screws + 2 nuts + 1 Allen key. For Heavy Duty Pedestal Mounts. Color: Silver
Κλ	

### **VESA MOUNTING PLATES**

- For use on all Heavy Duty Pedestal Mounts
- Made of aluminum







Item no. 215987







Item no. 215748

<u>Item no.</u>	Product	Holes
<u>215988</u>	Single Vesa: 75 mm, rounded plate	5 mm Vesa + M4 AMPS
<u>215987</u>	Dual Vesa: 75 mm and 100 mm, rounded plate	Dual 5 mm Vesa + M4 AMPS
<u>215753</u>	5 x Vesa: 75 mm, square plate	5x5 mm Vesa + 4 mm AMPS
<u>215748</u>	Single Vesa 75 mm, square plate	5 mm Vesa + 4 mm AMPS

### **EXTENSION PARTS & PLATES FOR CABLE ENTRY MOUNTS**

- Create your own unique solution for cable entry by combining various extension parts
- Hollow Pedestal Mounts for cable entry
- Made of aluminum
- Rod diameter 35 mm, hole inside diameter 25 mm
  For use on all heavy duty Pedestal Mounts
- Made of plastic

### ca 345°

SWIVELS!

#### EXTENSION PARTS FOR CABLE ENTRY, WITH SWIVELING TOP

Hollow Pedestal Mount extension part with swiveling top for cable entry

HOLLOW RANGE FOR CABLE ENTRY

- 5x4 mm AMPS-holes on top part
- Round mounting plate with 6 M4 holes

Item no.	Product	Total height
215572	Swiveling Pedestal Mount for cable entry 4,5"	115 mm
215573	Swiveling Pedestal Mount for cable entry 6,5"	165 mm
215574	Swiveling Pedestal Mount for cable entry 8,5"	215 mm



<u>Kr</u>eski Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl

#### EXTENSION PARTS FOR CABLE ENTRY

- Hollow Pedestal Mount extension parts for cable entry
- 4x4mm AMPS-holes on top part
- Round mounting plate with 6 M4 holes

<u>Item no.</u>	Product	Total height
<u>215564</u>	Pedestal Mount for cable entry 4"	100 mm
<u>215565</u>	Pedestal Mount for cable entry 6"	150 mm
<u>215566</u>	Pedestal Mount for cable entry 8"	200 mm





#### ROUND MOUNTING/BASE PLATES FOR CABLE ENTRY

Hollow Pedestal Mount mounting/base plates for cable entry, hole diameter 20 mm

Diamotor

- Round mounting plates for added stability
- Spreads the strain on the mounting surface thanks to larger hole area
- Milled cable groove in the bottom
- With 6x6,5 mm + 6 M4 holes
- Made of ABS plastic
- Thickness 9 mm.

#### Itom no Droduct

	FIUUULI	Diametei
215757	Mounting plate for cable entry	200 mm
215795	Mounting plate for cable entry	250 mm



Ο

### **TOPS & BASE/FOOT FOR CABLE ENTRY MOUNTS**

- Create your own unique solution for cable entry by combining vairous extension parts with top parts
- Hollow Pedestal Mount tops for cable entry, hole diameter 32 mm





Item no. 215717



Item no. 215741



Item no. 215742

#### SWIVELING TOPS FOR CABLE ENTRY PEDESTAL MOUNT

- Square mounting plate 50x50 mm
- Made of aluminum and Acetal plastic
- Tilts 180°

<u>Item no.</u>	Product	Holes
<u>215717</u>	Top Part with 180° turnaround. Locking with handle	Dual 2 mm AMPS holes + 4 holes
<u>215741</u>	Top Part with 180° turnaround. Locking with handle	RAM Mount holes + 4 holes
<u>215742</u>	Top Part with 180° turnaround. Locking with Allen Key	Dual 2 mm AMPS holes + 4 holes
$\bigcirc$		JOE















Item no. 215568

Item no. 215569

Item no. 215570

Item no. 215571

Item no. 215595

Item no. 215596

#### ANGLED TOPS FOR CABLE ENTRY PEDESTAL MOUNT

- Center hole diameter 24 mm
- Made of Acetal plastic

<u>ltem no.</u>	Product	Top angle	Total height	Holes
215568	Angled top for cable entry	Angle: 15°	26 mm	Dual 2 mm AMPS holes + 4 holes
<u>215569</u>	Angled top for cable entry	Angle: 30°	44 mm	Dual 2 mm AMPS holes + 4 holes
<u>215570</u>	Angled top for cable entry	Angle: 45°	50 mm	Dual 2 mm AMPS holes + 4 holes
<u>215571</u>	Angled top for cable entry	Angle: 60°	50 mm	Dual 2 mm AMPS holes + 4 holes
<u>215595</u>	Angled top for cable entry	Angle: 75°	50 mm	Dual 2 mm AMPS holes + 4 holes
<u>215596</u>	Angled top for cable entry	Angle: 90°	50 mm	Dual 2 mm AMPS holes + 4 holes

$$\bigcirc$$

































