

Pedestal Mounts





With swiveling top - Black



Complete set of Pedestal Mount, Angled Top Part and MultiMoveClip. The swiveling top is perfect for use on store counter tops, or any other situation where you might need to rotate the mounted device. Choose between three lengths and six different angled top parts. Available in black and white.



115 mm





Item no. 215637

Item no. 215643

Total Height

215 mm

113 11111	100 111111	213 111111
Item no 215629	Item no. 215635	Item no. 215641
Item no. 215630	Item no. 215636	Item no. 215642
Item no. 215631	Item no. 215637	Item no. 215643
Item no. 215632	Item no. 215638	Item no. 215644
Item no. 215633	Item no. 215639	Item no. 215645
Item no. 215634	Item no. 215640	Item no. 215646

15°	ar
30°	d 0
45°	top
60°	of
75°	gle
90°	Ang



With swiveling top - White





Item no. 216634



Item no. 216629

Total Height

115 mm	165 mm	215 mm	
Item no 216629	Item no. 216635	Item no. 216641	15°
Item no. 216630	Item no. 216636	Item no. 216642	30°
Item no. 216631	Item no. 216637	Item no. 216643	45°
Item no. 216632	Item no. 216638	Item no. 216644	60°
Item no. 216633	Item no. 216639	Item no. 216645	75°
Item no. 216634	Item no. 216640	Item no. 216646	90°
	Item no 216629 Item no. 216630 Item no. 216631 Item no. 216632 Item no. 216633	Item no 216629 Item no. 216635 Item no. 216630 Item no. 216636 Item no. 216631 Item no. 216637 Item no. 216632 Item no. 216638 Item no. 216633 Item no. 216639	Item no 216629 Item no. 216635 Item no. 216641 Item no. 216630 Item no. 216636 Item no. 216642 Item no. 216631 Item no. 216637 Item no. 216643 Item no. 216632 Item no. 216638 Item no. 216644 Item no. 216633 Item no. 216639 Item no. 216645

15°	art
30°	d C
45°	top
60°	of
75°	gle
90°	Ang



With fixed top - Black

Complete set of Pedestal Mount, Angled Top Part and MultiMoveClip. Easily switch device holders with the MultiMove Clip. Have a steady mount with the fixed Pedestal Mount. Choose between three lengths and six different angled top parts. Available in black and white.



Total Height

100 mm	150 mm	200 mm	
Item no 215611	Item no. 215617	Item no. 215623	15
Item no. 215612	Item no. 215618	Item no. 215624	30
Item no. 215613	Item no. 215619	Item no. 215625	45
Item no. 215614	Item no. 215620	Item no. 215626	60
Item no. 215615	Item no. 215621	Item no. 215627	75
Item no. 215616	Item no. 215622	Item no. 215628	90

With fixed top - White



Item no. 216617






Total Height

100 mm	150 mm	200 mm	
Item no 216611	Item no. 216617	Item no. 216623	15
Item no. 216612	Item no. 216618	Item no. 216624	30
Item no. 216613	Item no. 216619	Item no. 216625	45
Item no. 216614	Item no. 216620	Item no. 216626	60
Item no. 216615	Item no. 216621	Item no. 216627	75
Item no. 216616	Item no. 216622	Item no. 216628	90

Parts: Cable Entry Mounts





Item no.
215564
215565
215566

216564

216565

216566

Product
Pedestal Mount 4" - Black
Pedestal Mount 6" - Black
Pedestal Mount 8" - Black


Total height 100 mm 150 mm 200 mm

Pedestal Mount 4" - White 100 mm
Pedestal Mount 6" - White 150 mm
Pedestal Mount 8" - White 200 mm









Outer diameter 64 mm



Product

Swiveling Pedestal Mount 4,5" - Black Swiveling Pedestal Mount 6,5" - Black Swiveling Pedestal Mount 8,5" - Black

Swiveling Pedestal Mount 4,5" - White Swiveling Pedestal Mount 6,5" - White Swiveling Pedestal Mount 8,5" - White

Total height

115 mm 165 mm 215 mm

115 mm 165 mm

215 mm

5xAMPS-holes on top part Top part swivels ca 345° 6 holes on bottom part







Parts: Cable Entry Mounts

Angled top part - Black



Item no. 215568 Angle: 15°



Item no. 215569 Angle: 30°



Item no. 215570 Angle: 45°



Item no. 215571 Angle: 60°



Item no. 215595 Angle: 75°



Item no. 215596 Angle: 90°

Angled top to mount holder onto. Perfect to create a constant angle for your mounting solution. Mounting a holder with tilt swivel still allows for adjusting the holder.

Fits only with Pedestal Mount for cable entry. Four holes for mounting on top part of Pedestal Mount. Dual AMPS-holes for mounting of device holder. 2 sets of 4 screws included.



Kreski

Angled top part - White



Item no. 216568 Angle: 15°



Item no. 216569 Angle: 30°



Item no. 216570 Angle: 45°



Item no. 216571 Angle: 60°



Item no. 216595 Angle: 75°



Item no. 216596 Angle: 90°

Accessories: Cable Entry Mounts

MultiMoveClip

Fits all Brodit holders with tilt swivel. Perfect for a firm installation that still allows usage of different device holders on the same Pedestal Mount. Switch easily between holders in seconds.



Item no 215668 MultiMoveClip - Black



MultiMoveClip - White



Item no 215538 MultiMoveClip, High strength - Black

Mounting Plate

For added stability when attaching the Pedestal Mount on its designated place. May also help spread the strain of the mounting surface when spreading the hole pattern over a larger area.



Item no.	Product	Diameter
215597	Mounting plate - Black	100 mm
215598	Mounting plate - Black	150 mm
215599	Mounting plate - Black	200 mm
216597	Mounting plate - White	100 mm
216598	Mounting plate - White	150 mm
216599	Mounting plate - White	200 mm





Total height

48 mm

100 mm

150 mm

200 mm

250 mm

300°

Sets: Adjustable Mounts

Black

Combine complete sets with loose parts and create your own unique design as needed. The angle between the pedestal mount parts can be changed as required. Can be angled in steps of 24°, up to a maximum of 192° (8 different positions). The mounting surface is 50x50 mm wide with dual AMPS-holes. Available in black and white.







Item no. 215518 Pedestal mount 4" with MultiMoveClip.

Total height 124 mm Round mounting plate with diameter 100 mm, thickness 9 mm, 6 holes.

> Item no. 215523 Swiveling pedestal mount 6" with MultiMoveClip.

The top part of the mount swivels 300°. Perfect for use of payment terminals, monitors etc. in shops and for use of two devices, for example a rugged PDA and printer. The inclination of the mounting surfaces are 10° and 20°. Fits for all Brodit holders with tilt swivel. The angle of the pedestal mount parts can be changed as required.

Total height 248 mm Round mounting plate with diameter 100 mm, thickness 9 mm, 6 holes.




Item no. 215563 Pedestal mount 4".

Total height 124 mm Round mounting plate with diameter 100 mm, thickness 9 mm, 6 holes.

Sets: Adjustable Mounts

White






Parts: Adjustable Mounts

Black

Create your own design by screwing together base/top and extension parts.

The angle of the pedestal mounts can be changed as needed.

Can be angled sideways in steps of 24°, up to a maximum of 192° (8 different positions). 1 screw + bult included.



Item no. 215516
Base/top

Mounting plate 50x50 mm

Dual AMPS holes











Item no.	Product	Total length	Inner length	CC-dimension
215516	Base/top	40 mm	-	24 mm to surface
215515	Extension part 2"	82 mm	14 mm	52 mm
215514	Extension part 4"	132 mm	64 mm	102 mm
215534	Extension part 6"	182 mm	114 mm	152 mm
215549	Extension part 8"	232 mm	164 mm	202 mm
215674	Rotatable Extension Part 4"	132 mm	64 mm	102 mm




Item no. 215674
Rotatable extension part 4"
Can rotate around its own axis, locked into position using a torx key.
Total length 132mm
CC-dimension 102 mm



Parts: Adjustable Mounts

White



Item no. 216516
Base/top
Mounting plate 50x50 mm
Dual AMPS holes

Item no. 216516	Product Base/top	Total length 40 mm	Inner length	CC-dimension 24 mm to surface
216515	Extension part 2"	82 mm	14 mm	52 mm
216514	Extension part 4"	132 mm	64 mm	102 mm
216534	Extension part 6"	182 mm	114 mm	152 mm
216549	Extension part 8"	232 mm	164 mm	202 mm
216674	Rotatable Extension part 4"	132 mm	64 mm	102 mm



Accessories: Adjustable Mounts

Suction Cup Mount

The heavy duty Suction Cup Mount can be used in vehicles where the only possible placement is on the windshield. The suction cups are extra strong and provides a firm installation. The dual amps holes on the mounting base fits the base/top part (item no. 215516/216516). Available in black only.



Item no. 215671 215675



Fork Lift Mount



Item no 215677

The Fork Lift Mount can be mounted on square surfaces. Works perfect on for instance the rollbar on a fork lift. Multiple sets of AMPS holes makes the fitting of the base/top (item no 215516/216516) easy. Available in black only.



MultiMoveClip

Fits for all Brodit holders with tilt swivel. Perfect for a firm installation that still allows usage of different device holders on the same Pedestal Mount. Switch easily between holders in seconds.



Item no 215668 MultiMoveClip - Black





Item no 215538 MultiMoveClip, High strength - Black

Accessories: Adjustable Mounts

Wingnuts

Maybe your Pedestal Mount solution needs to be adjusted repeatedly, or you cannot carry around an Allen Key all the time. Then we can offer the wingnuts as an accessory. Just replace the nut and bolt that comes with the Pedestal Mount with the wingnuts instead.

Item no 215670

Wingnuts - Black Set of 2.





Item no 215676

Wingnut and distance plate for mounting on Suction Cup Mounts (item no's 215671 & 215675). Nuts, bolts, and lock washers included.





Item no 215679

Extra distance plates for mounting on Suction Cup Mounts. (item no's 215671 & 215675). Includes 5 plates and 5 sets of 4 nuts, bolts, and lock washers.



Other Accessories

Item no. 215522 (black) 216522 (white)

Mounting plate round

Diameter 100 mm
Thickness 9 mm
AMPS-holes + 6 holes
4 screws + lock washers for attachment of base/top included.



Item no. 215536 (black)
Item no. 216536 (silver)
Spare part screws
Set consisting of 4 screws and
4 lock washers.

881111

Item no. 215521 Swiveling plate

Perfect for installing any equipment that needs to be turned for use from different directions. Swivels 300°.

Diameter 64 mm Thickness 22 mm AMPS-holes + 4 holes 4 screws + nuts included.



Item no. 215537
Spare part screws
Set consisting of 4 screws
and 4 nuts.



Accessories: Adjustable Mounts



20° 00 00 1111 11111

Item no. 215524

Angled top part Perfect for installing equipment in a 10° or 20° angle or for installing two devices, e.g. a rugged PDA and a printer.

64x64x46 mm (length+width+height) 2 sets of 4 screws + 4 nuts + 4 lock washers included for attachment to base/top.



Item no. 215535 (black) Item no. 216535 (silver) Spare part screws

Set consisting of 2 screws, 2 nuts and an Allen Key. Fits for all extension parts.



Item no. 215591 (black) Item no. 216591 (silver) Spare part screws

Used to attach MultiMoveClip to top/bottom part (215516 black, 216516 white).

Pipe Mounts

The Pipe Mounts fits all cylindrical shaped objects with a diameter between 19-30 mm. Can be used to mount for instance a Rugged PDA holder onto a handle bar, or in a fork lift with cylindricial shaped beams in the roll bar.



Strong and firm installation

Brodit Pedestal Mounts is a mounting system for heavier devices which require a stable and strong installation. The Pedestal Mounts provide an extra sturdy and secure mounting platform which can be used in a variety of vehicles. In addition to vehicles and commercial equipment the Pedestal Mounts can also be used on virtually any flat surface. On the Pedestal Mounts you can attach any Brodit holder, giving vast possibilities of product categories to be mounted.

There are two main types of Pedestal Mounts; fixed and adjustable. The fixed Pedestal Mounts comes with or without a swiveling top. The fixed Pedstal Mounts are perfect for use on store counters, display stands or perhaps in a boat. The adjustable Pedestal Mounts provides a bit more flexibility in how you want your mounting solution to look, and is easily fitted into a fork lift, truck, tractor or any similar vehicle.

It is easy to compile a unique solution for your own requirements. The adjustable Pedestal Mounts consist of different parts that are screwed together. The teeth within the interlocking joints provide a very strong hold; once screwed together the products can withstand a lot of weight. For both the adjustable and the fixed Pedestal Mounts you can choose between already made sets or individual pieces to mix and match the parts to create the exact solution needed.

The pedestal mounts are made of aluminum, a material which promises extremely strong and durable products of low weight. Brodit can develop new solutions for specific needs upon request.



- Very strong construction
- Supports heavy devices
- Provides a firm installation
- Create your own solution
- Easily disassembled
- Lasily disassemble
- Made of aluminum
- Made in Sweden
- Color: black and white





Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl

