


<u>Kr</u>eski

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl

BarTender[®] 2021

WHAT'S NEW





Contents

About BarTender 2021	4
New and improved features	5
Librarian Workflow Designer	5
Assigning permissions to workflow objects	7
Configuring email notifications for workflow objects	8
Validating the workflow	11
Configuring workflow rules	12
Assigning Workflow Designer security in Administration Console	13
Print Portal redesign	14
Driverless printing	14
Streaming improvements	14
Security and authentication	15
Usability improvements	16
Custom corporate branding	18
Print Portal integration with Librarian	19
Performance	19
Support for Revision History and Workflow States	19
Advanced support for Librarian workflows	20
Updating from previous BarTender workflows	21
Accessing Workflow Design Setup	21
Support for File States and Transitions	21
Support for legacy workflows	22
Phrase libraries	23
Creating a phrase library	23
Adding a library data source to a document	25
Expanded API support for Librarian workflows and Print Portal automation	27
Librarian API updates	27
Print Portal public REST API	28
Improved business continuity and disaster recovery support	29
Licensing server redundancy	29



Automated restart of monitored databases	
Expanded database options	
New database types	
Embedded sample data for text and XML database connections	
Other improvements	
Barcode updates	
Support for GS1 Version 20 specification	
Expanded Data Matrix sizing options	
BarTender Designer improvements	
New data source options	
Image support in dynamic embedded tables	34
New color picker and support for PANTONE® colors	
Automation support for dynamic embedded table objects	
Data Entry Form improvements	
Printer-related improvements	
Print dialog options	
Support for printer shape cutting	
Other Improvements	
New comment property for reprinting	
Option to turn off printer redirection	
Security improvements	
Template for user permissions	
Improved encryption key management	
Integration message logging	42
Action-related improvements	43
Improved While Loop action	43
Print Batch action renamed to BarTender Process	
PowerShell Script Editor	
Related documentation	45
Technical documents	45
Manuals	45
BarTender help system	45
Other resources	45

Kreski



About BarTender 2021

With BarTender[®] software by Seagull Scientific, organizations around the world can improve safety, security, efficiency and compliance by creating and automating the printing of labels, barcodes, RFID tags, plastic cards and more. Thousands of companies in manufacturing, chemicals, health care, food and beverage, aerospace, pharmaceuticals, supply chain/logistics and other industries trust BarTender with the labeling and marking processes that keep their businesses running.

With the release of BarTender 2021, Seagull Scientific continues to enhance your design and printing experience and provide easier ways to manage and administer your print operations. This document describes the most significant features that were added to or improved in BarTender 2021.

Improvements in the BarTender suite were made in response to customer feedback and requests and can be found in many areas of the software.



Download BarTender 2021 at portal.seagullscientific.com/downloads

Kreski

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl





New and improved features

Librarian Workflow Designer

By using the new Workflow Designer, which is accessed from the new Librarian Setup page in Administration Console, you can create comprehensive labeling life cycle workflow processes for the BarTender documents and files that you save to Librarian. The drag-and-drop graphical user interface makes it easy to create workflows that specify the states that a document can be in, such as "Design," "Review," or "Production" (as represented on the design canvas by state objects) and that specify how a document moves from one state to another (as represented by transition objects). You can name these states and transitions anything that you want.

📴 Untitled - Workflow Designer	— 🗆 X
Home Format	0
Selection State Approval Transition Text Clipboard	
On Add File	State
Approval	General Permissions Notifications
Workflow Add Files	Name: Design
Reject Submit For Review	Set as production (published) Give the ability for users with assigned permissions to retrieve published revisions of the document while in this state.
Review Submit For Design	Default initial state Designate this state as the initial state for an add or check in.
75%	





When you create a workflow that assigns states and transitions to files, you can do the following:

- Create representations of the life cycle for all of your files.
- Track the status of files from start to finish.
- Send notifications to particular users and groups when a file changes state or goes through a transition.
- Limit the users whom you want to have access to the file at each stage in its life cycle (for example, you might want to specify that only members of your design team can edit the file while it is in the Design state).
- Create branches at decision points. For example, when you include an approval state object in the workflow for a Review state, a reviewer can either approve the file and move it to the Production state or reject the file and automatically send it back to the Design state together with an email notification to the designers that informs them that the file was rejected.



For more information about Librarian workflows, including a detailed tutorial describing how to create workflows, refer to the *Understanding Librarian Workflows* document at the following website:

www.SeagullScientific.com/media/2081/understanding_librarian_workflows.pdf

Kreski

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



Assigning permissions to workflow objects

You can specify and manage user access to each stage of a file's life cycle by adding user and group permissions for each state and transition object. You do this by using the Permissions tab in the properties pane on the right side of the Workflow Designer, as follows:

- For state and approval state objects, you can specify the users to whom you want to allow or deny • permissions to move the file into and out of the selected state.
- For transition objects, you can specify the users to whom you want to allow or deny permissions to run • the transition to move the file to the next state.

Appro	val State			Tra	nsition		
General	Permissions	Notifications		Gene	eral Permissions	Notifications	
	user names:				p or user names:		
🛃 John S	Smith (DESKTOP	-S1C0GTT\John	Smith)		ane Doe (DESKTOP	-S1C0GTT\Jane Do	be)
		Add Ren	nove			Add	Remove
Permission	ıs	Allow	Deny	Perm	issions	Alloy	w Der
Can char	ge to this state	۲	0	Can	run this transition	۲) (
Can char	ige from this sta	ite 💿	\bigcirc				



Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl




Configuring email notifications for workflow objects

You can configure email notifications for each state and transition object by using the Notifications tab in the properties pane on the right side of the Workflow Designer. The state, approval state and transition objects each have their own criteria for when the email notification is sent, as shown.

Approval State State General Notifications General Permissions Notifications Permissions Send approval notification Send enter state notification Send an email to recipients when entering Send an email to approval members requesting approval or reject action. this state. Setup... Setup...

Transition

General	Permissions	Notifications	
Send	I notification		
	d an email to no sition completes	tify recipients wh	en this
Sei	tup		





Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



In each case, when you select the option to send an email notification, you can then click **Setup** to open a **Notification** dialog that you can use to design the email message that you want to be sent. Many variables are available for you to use to compose an email message. For example, the following email notification design uses variables to send an email notification that lists one or more files that need to be reviewed by the recipients.

🖹 Approval I	Notification	×
Email Server:	✓ Configure	
То:	%ApprovalMembers%	
From:		
Subject:	%FileName% is ready for your review	
Paste Paste Clipboard The follo Commer %Comm %Beginf %FileNa	$\frac{ab_{2}}{Font} \cdot \underline{A} \cdot A$	Styles 12 Editing
		~
<		> Test
	Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl	OK Cancel Help



You can also use the **Notification** dialog to access the **Configure Email Servers**¹ dialog so that you can configure or select the email server that you want to use for the notification. To do this, click **Configure** in the **Notification** dialog.

👧 Configure Email Servers			×	
Defining email servers allows BarTender to s	end alert, messa	ging, and workflow emails.		
Email Servers 🕂 Add	Name:	Email Server 1		
Email Server 1	Account Set	up		
	Mail Server:	smtp.example.com		
	Mail From:	sample@example.com	-	
	Settings			
	Requi	res authentication		
	User nam	e:		
	Password			
	Port: Network	25 Reset To Default Timeout: 30 🕥 Seconds		
	Encryp	ot connection data using Secure Socket Layer (SSL/TLS)		
	Test			
	I	OK Cancel		


BarTender 2021 also provides a new **Email Servers** page in Administration Console as a central location where you can configure and manage your email servers without needing to open a Librarian workflow. The options on the **Email Servers** page are the same as those in the **Configure Email Servers** dialog. After you configure an email server on the **Email Servers** page, it is available to select in the **Configure Email Servers Barvers** dialog when you create email notifications for your workflow.

Kreski	
Zapraszamy do kontaktu! Więcej informacji: www.kreski.p	ol



Validating the workflow

The Workflow Designer includes workflow validation. You can click **Validate Workflow**² at any time as you create the workflow to identify workflow design requirements that are missing, such as an assignee for an Approval State object or a transition to or from a state object. Workflow validation also occurs automatically when you close the Workflow Designer. Although you can save the workflow and exit the Workflow Designer while the workflow is in an error state, you will not be able to publish the workflow until you update it to a valid state.





Configuring workflow rules

After you validate and save your workflow, you must specify the folders, files and/or file types that you want to apply the workflow to or that you want to exclude from the workflow. You do this by creating workflow rules in the **New Rule**³ dialog.

💮 BarTender Administration (Console			- 🗆 X		
SAP IDoc Definitions	Librarian Setup			New Rule X		
Data Providers		Workflow Rules				
 Integrations 	Workflows	🕂 New Rule 🧪 Edit 🗙 👚 🦊		A workflow rule gives you the ability to assign workflows to specific file types (e.g. BarTender Templates)		
Deployment	A workflow describes the l					
Servers	for production.	Enabed Workflow	Path Filter	For files in Librarian folder(s):		
Message History		Deny File Add	lib://	ib:// Browse		
Cloud Storage	📲 New Workflow 🔮			Example: lib://		
✓ Security	Workflow			With file type(s):		
User Permissions				·		
Logging	RG Output Revision: 1			Example: *.btw 📃 Use Regular Expressions		
Electronic Signatures	SimpleProduction			Use workflow		
Document Encryption	Revision: 1			Use to associate a workflow to matching file(s)		
↓ Licensing				Workflow: RG Output		
Printer Usage						
User Activity				O Deny adding file(s)		
License Setup		Preview Changes		Use to explicitly deny users from adding matching file(s)		
Redundancy	Workflow Rules	Treview changes				
Alert Setup	worknow kules			O Exclude files or folders from using a workflow		
✓ System Database	Workflow rules assign spe	cific workflows to Librarian file ty	es such as BarTender template de	Use to exclude matching file(s) or folder(s) from using a workflow e		
Print Job Logging				Rule Comments:		
Maintenance	🔁 New Workflow Rule			^		
Administrative Tasks						
Email Servers						
Librarian Setup						
Windows Services				OK Cancel Help		
windows services						

Kreski

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



Assigning Workflow Designer security in Administration Console

To support Workflow Designer security, the **User Permissions** page⁴ page in Administration Console has new permissions that you can specify for users and groups for the tasks that are associated with the Workflow Designer. By using these permissions, you can allow or deny users or groups permissions to add, modify and remove workflows and workflow rules⁵.


Printer Setup	Security > User Permissions				
File Locations	Users and Groups:	De	Permissions for Administrators:		
Database Connections	Administrators (Local Administrators)				
SAP IDoc Definitions	Subsers (Local Users)	Α	Action	Allow	Deny
Data Providers		L L	Librarian		
✓ Integrations		R	Run	\checkmark	
Deployment		A	Administer	\checkmark	
Servers		E,	Edit Existing Comments	 	
Message History					
Cloud Storage			Edit Files	\checkmark	
✓ Security		Fi	Full File Control	\checkmark	
User Permissions		0	Open Published Files	\checkmark	
Logging		Li Li	Librarian: Workflow and Rules		
Electronic Signatures			Add workflows	\checkmark	
Document Encryption			Add, edit, and delete rules	~	
Licensing					
Printer Usage			Modify workflows	\checkmark	
User Activity		R	Remove workflows	\checkmark	
License Setup		P	Print Station		
Redundancy		R	Run	\checkmark	
Alert Setup		A	Administer	\checkmark	
👻 System Database					
Print Job Logging	Add Remove		When permission is denied, allow login override		
Maintenance					

You can also use the **Logging** page in Administration Console to log permissions checks for these same Workflow Designer actions and use the **Electronic Signatures** page to specify that individual actions require an electronic signature (user name and password) before the action is allowed.

<u>Kr</u> eski	
Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl	



Print Portal redesign



Print Portal is redesigned to have a modern user interface, improved performance and streamlined functionality.

Print operators can use any web browser to securely connect their PC/laptop or smartphone (over HTTPS) to a website that is hosted by the Print Portal web server. They can then use Print Portal to find and open the documents that they need, select a printer to send the print job to and enter data into the data entry form as applicable at print time. Client computers do not have to have BarTender installed.

Driverless printing

The web server/client model enables driverless printing, in which print jobs are streamed directly to the printer without a need to install a printer driver on the server. Additionally, you can configure the network so that print operators can send print jobs to any printer in the network, whether local or remote.

Streaming improvements

Print Portal now includes intelligent streaming to reduce print delays for large print jobs that are not optimized as a single batch in printer code. Print jobs that do not have optimizations enabled are split into smaller batches of 10 labels so that the first batch can be sent to the print queue to begin printing while the next batch is generating.





Security and authentication

Administrators can now enable authentication and single sign-on (SSO) by using Microsoft Internet Information Services (IIS) and Active Directory Federation Services (AD FS) for Windows authentication.

Internet printing now fully supports Secure Sockets Layer (SSL) encryption.

Administrators can also now specify that users must re-submit authentication credentials after a specified time-out period elapses and enable password-protection for the **Administrative Settings** page.⁶


.			😂 Administrative Setup	😯 Help	🕒 Sign out
Root Folders Client Printing	Advanced				
		Print Settings			
		Automatically return to Document Selection screen after printing has completed.			
		Maximum Number of Print Preview images to generate per request			
		100			
		Save documents after printing			
		Save if a document contains serialized fields			
		Security			
		Enable Authentication			
		Automatically log out after the specified period of inactivity			
		Minutes:			
	6	ed 🗧			
		Require a password to open the admin page			
		Password			
		Save			


<u>Kr</u> eski
Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



Usability improvements

Grouping and sorting options are added to make it easier to organize your folders and documents and to find the document that you need. You can group by author, categories, tags, or products and sort by name, date created, or date modified.⁷







Administrators can also configure a new option that determines whether the print operator is returned to the document selection page after a print job runs.⁸ In some cases, the print operator needs the document to stay open after the print job runs, such as when a label must be printed again with different data or to a different printer. This new option makes this scenario possible.

<u>.</u>			\$ Administrative Setup	Help	C Sign out
Root Folders Client Printing A	Advanced				
		Print Settings			
	8-	Automatically return to Document Selection screen after printing has completed.			
		Maximum Number of Print Preview images to generate per request	_		
		100 🗘			
		Save documents after printing			
		Save if a document contains serialized fields	T		
		Security			
		Enable Authentication			
		Automatically log out after the specified period of inactivity Minutes:			
		0			
		Require a password to open the admin page			
		Password			
		Save			
© 2020 Seaguil Scientific, Inc. All rights reserved. Privacy	y				

Support is added in Print Portal for the **Repeat data entry until cancelled** print option in the **Print** dialog in BarTender Designer. This option specifies that when a print job is complete, a new print job is automatically run. This means that you need not manually restart a print job when you run multiple consecutive print jobs that use the same BarTender document.

Support is also added for form-level actions that are configured in BarTender. These actions help you to manage forms and print jobs and to communicate information to print operators at print time. For example, you can configure actions to reset or clear form data, continue or cancel a print job, display a message and more.

Kreski	
Zapraszamy do kontaktu! Więcej informacji: www.kreski	.pl



Custom corporate branding

Print Portal now supports replacing the default Print Portal branding with your company's branding. By using the new **Branding** property page on the Print Portal **Administrative Setup** page, you can replace the Print Portal icon with your company logo (or other image) and change the colors of items in the user interface to your company's branded colors.

The following image shows the BarTender Print Portal default branding.

	lelp 🚓 Administrative Setup
Home / Templates	
View (Details) ▼ Group By ▼ Sort By ▼ Refresh Search	h Q
Templates Automotive	=-
> Automotive	
Caterpillar Automotive Caterpillar	=-
> EU Energy Labels	

The following image shows an example of custom branding.

sdi	🕑 Help 🛛 🌣 Administrative Setup
Home / Templates	
View (Details) ▼ Group By ▼ Sort By ▼ Refresh	Search Q
Catern Automotive Caterpillar Caterpillar	



Print Portal integration with Librarian


Librarian is the BarTender suite companion application that provides a content management system for your BarTender documents. When you use Librarian, you create a secure central repository of label templates and documents along with a revision history for your documents that tracks all the changes to the document design and all the user comments that accompany each revision. You can also use Librarian to create workflows so that you can easily manage a document's status as it moves from first draft to final published state.

Performance

Librarian performance is significantly improved in BarTender 2021 due to database improvements that greatly increased the speed of read operations.

Support for Revision History and Workflow States

A document's Librarian revision history and any workflow states are exposed in Print Portal, so users can compare document revisions, add revision comments and transition the document's workflow state.⁹ Any changes that are made in Print Portal (such as adding a comment or changing a workflow state) are automatically updated in Librarian and vice versa. To perform these Librarian functions on the client requires only the web browser, which reduces or eliminates the need to install a full version of BarTender.







Advanced support for Librarian workflows

Print Portal integration with Librarian also includes advanced support for Librarian workflows by facilitating online document review and approval processes that are integrated with email notifications. After you install Print Portal, you can add Print Portal to the Librarian workflows configuration on the **Librarian Setup** page in Administration Console by specifying the Print Portal URL, as follows.

Other Options								
Use Print Portal to integrate workflow processes such as I								
Print Portal URL:	http://localhost/BarTender/							

Subsequently, you can add email notifications to your workflows to send email messages to your specified users and groups that include a **Review and Approve** button. When your reviewers click this button, the BarTender document opens in Print Portal, where they can view the document and then reject or approve it.

Document1.btw

Revision 1 State: Review

Select the workflow step to apply to this request:

Reject
 Approve

Add a comment (required)

This design is approved.		
		4
	Print	Submit

When your reviewers select **Reject** or **Approve** and then click **Submit**, the workflow that is applied to the document moves the document to the state that you configured in the workflow for the Reject or Approve transition.

Kreski Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



Updating from previous BarTender workflows

If you are upgrading to BarTender 2021 from a previous BarTender version, new options are available that support the new workflow model that is supported by the Workflow Designer.

Accessing Workflow Design Setup

The workflow design functionality is moved from the Librarian application to Administration Console. When you click **Workflow & Rules Setup**¹⁰ on the Librarian **Administer** menu, Administration Console opens to the **Librarian Setup** page, where you can create and manage your workflows.

🦵 BarTender Librariar			-	\Box \times
File Edit View	dminister Tools Help			
lib://	System Setup			~
roiders	a Workflow & Rules Setup			д×
₩ Waiting for My Ap	Purge Deleted Files Size	Workflow State	e Folder	Last Modified
Checked Out To	GM_1724C.btw 1 66.48 KB		lib://	8/12/2020 11:47

Support for File States and Transitions

BarTender 2021 Preview 2 adds two new nodes to the **Folders** pane:

- Waiting for My Approval:¹¹ Displays in the Files pane the files that are currently designated in a workflow as needing the user's review.
- Checked Out to Me: Displays in the Files¹² pane the files that are currently checked out to the user.

The following new panes are also added to the Librarian user interface:


- **Details:**¹³ Displays information about the version of the document that is selected in the **File History** pane.
- **Preview:**¹³ Displays a preview image of the version of the document that is selected in the **File History** pane.

-	nder Libraria										- 0	×
	dit View	Administer	Tools	Help								
lib://												~
Folders		φ×	Files									ųΧ
	ting for My A		Name	*	Revision Size	W	orkflow	State	Folder		Last Modifie	d
- 400 Libr	anv	MO	🛯 💽 Do	ouble_Pack_of_L	1 32.9	4 KB RS	5_Designs	Review	lib://		8/12/2020 6:	51:22 PN
	- ,		🛯 💽 Sir	ngle_Pack_of_Li	1 32.9	4 KB RS	5_Designs	Review	lib://		8/12/2020 6:	50:58 PN
			File His	tory			₽ □ ×	Details				₽ □>
			lib://Do	uble_Pack_of_Like	_Parts.btw		View Comments					
			Time	.	Action	User	State	💦 Doub	le_Pack_	of Like Pa	Ir	
								Revision:	1			
			🖃 Revi	ision: 1								
			-	ision: 1 20 6:51:22 PM	Change State	DESKTOP	-S1C0 Review	Document Info				
			8/12/20 Sendir	20 6:51:22 PM ng to review.						lib://Double_Pac 8/12/2020 6:39:	k of Like Pa	
			8/12/20. Sendir 8/12/20. Editing	20 6:51:22 PM ng to review. 20 6:41:32 PM g my workflow	Change State Add Comment			Document Info Document: Created: Created By: Last Modified	ermation:	lib://Double_Pac 8/12/2020 John Smith 8/12/2020 6:51:	k_of_Like_Pa 04 PM	
			8/12/20. Sendir 8/12/20. Editing 8/12/20.	20 6:51:22 PM ng to review. 20 6:41:32 PM g my workflow 20 6:39:04 PM		DESKTOP		Document Info Document: Created: Created By: Last Modified Last Modified	prmation: : By:	lib://Double_Pac 8/12/2020 6:39: John Smith	k_of_Like_Pa 04 PM	
			8/12/20. Sendir 8/12/20. Editing 8/12/20.	20 6:51:22 PM ng to review. 20 6:41:32 PM g my workflow	Add Comment	DESKTOP	-S1C0 Design	Document Info Document: Created Created By: Last Modified Last Modified Workflow Info	prmation: : By: mation:	lb://Double_Pac 8/12/2020 6399 John Smith 8/12/2020 6:51: John Smith	k_of_Like_Pa 04 PM 22 PM	
			8/12/20. Sendir 8/12/20. Editing 8/12/20.	20 6:51:22 PM ng to review. 20 6:41:32 PM g my workflow 20 6:39:04 PM	Add Comment	DESKTOP	-S1C0 Design	Document Info Document: Created: Created By: Last Modified Last Modified	prmation: : By: mation:	lib://Double_Pac 8/12/2020 John Smith 8/12/2020 6:51:	k_of_Like_Pa 04 PM 22 PM	



Another new feature is the ability to move a file from one state to another in its workflow. You can do this from several locations in the Librarian user interface, as follows:

- Select a file in the **File** pane, point to **Transition** on the **File** menu and then click the next step in the workflow.
- Right-click a file in the **Files** pane, point to **Transition**¹⁴ and then click the next step in the workflow.
- Right-click a file revision in the **File History** pane, point to **Transition** and then click the next step in the workflow.
- In the **Details** pane, locate the **Transitions** option under **Workflow Information** and then click the link for the next step in the workflow.



Support for legacy workflows

If you are upgrading to BarTender 2021 from a previous BarTender version and you have existing workflows, the BarTender upgrade process retains those workflows. After the upgrade process is completed, you can open the Librarian Setup page in Administration Console, select the existing workflow that you want and then open it for modification by using the Workflow Designer.



Phrase libraries

You can now use Data Builder functionality to create one or more phrase libraries, which are specialized data tables that contain frequently used content that you can add to your template at print time. Phrase libraries can also be translated so that you can print a template design that uses different languages and/or select a language to print the design in at print time. You can also use the import and export features to share libraries between documents. Phrase libraries are stored in Data Builder database (*.btdb) files.

🥫 📩 🖛 🖈 🔹 Translation.btdb* - BarTender Data Builder											
	E		⊞ ,	Ô	X			2			
Add Remove	Add Langua	-	Remove anguage	Paste ~	Cut	Сору	Clear Data	Import	Export	Auto-Trans	ate
Library	Lang	juage	2	Clipboard Edit Transfer Tra					Translate	2	
Tables			🎤 ID		English (United St		t Spar	Spanish (Spain)		egory	Tags
🔢 Phrase Library	1	►	ID_001		Hello		Hola	Hola		eting	
			ID_002		Department		Dep	Departamento		ources	
		ID_003		Manag	er	Gere	ente	Res	ources		
		*									

Creating a phrase library

To use Data Builder to create a phrase library, click **Create Phrase Library** in the Start window when you first open Data Builder. A default phrase library is displayed that includes an ID column, a default language column and optional **Category**, **Tags** and **Comments** columns. Add the text that you want to store in the library by entering it in the table cells or by importing it from an external file.

After you create a phrase library, you can click **Add Language** to easily add any language that you want to translate your phrases to.

Select New Language											
	[Enter Language to search Find Clear]								
	>	Galician	*								
	>	Georgian									
	~	' German									
		German									
		German (Austria)									
		German (Germany)									
		German (Liechtenstein)									
		German (Luxembourg)									
		German (Switzerland)									
	>	Greek									
	>	Greenlandic									



After you add the new language, you can manually enter the translated phrases. If the new language supports machine translation, you can use the **Auto-Translate** feature to automatically translate the phrases as a starting point for a human translator.

🧧 🗎 🐂 🧀 🔹 Translation.btdb* - BarTender Data Builder													- C
I I I I I I I I I I I I I I I I I I I	Home												
	X			⊞ ×		X]	2				
Add	Remove	Add Langua		Remove .anguage	Paste	e Cut	Сору	Clear Data	Impo	rt Export	Auto-Translate		
Lib	rary	Lang	juage	e		Clipboard	ł	Edit	Т	ransfer	Translate		
Table	s			🎤 ID		English (U	nite	Spanish (Spa	iin) G	erman	Category	Tags	Con
🔢 Phr	ase Library	1	Þ	ID_001		Hello		Hola			Greeting		
				ID_002		Departme	ent	Departamen	to		Resources		
				ID_003		Manager		Gerente			Resources		
			*										
Auto Translate: Select Languages Auto Translate uses machine translation to con- selected language. This will likely contain inaccu point for translation by a human translator.													
		Translate	From	m:			Englis	h (United Sta	tes)		-		
		Translate	To:				Germ	an			- 眼		
							🗹 Un	translated Ph	irases (Only			
									Trans	ate	Cancel		


You can also import and export the phrase library to CSV or TMX format, which makes it possible to edit the phrase library outside of the Data Builder application and even send it to a translation service for professional translation.

Kreski
Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



Adding a library data source to a document

After you save a phrase library, you can connect it to your document so that you can use it as a data source. To do this, right-click the Libraries data source in the Toolbox, click **Connect to an Existing Library** to open the **Connect to a Library** dialog and then browse to and select your saved library.



Kreski

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



After you add the phrase library, it is listed in the Libraries node in the Toolbox. To add a phrase from the library to the template, drag the library to the location on your document that you want. When you do this, the **Select a Phrase** dialog opens so that you can select the specific phrase that you want to add. When translations are available for the phrase, you can specify the language that you want to use at print time by selecting the language on the **Print** dialog (as shown), or by using a data entry control to specify the language.

Print [Doc	ument1.btw]					×	×
Print O	bject Print N	/lethod						
Name:	Default (currently Micro	soft Print	to PDF)			~ 🚰	
Status: Driver:	Ready Microsoft	Print To PDF			Docum	ent Prope	rties	
Port:	PORTPRO	MPT:				er Properti		
Location: Commen					Print o	n both sid o file	es	
Quantit	y Options	Languages						
Numbe	r	Language						
	1	English (United	States)				-	
		English (United Spanish (Spain German	-	tional So	ort)			
Test Print	t Pr	int Prev	iew	Close	0	Cancel	Help	

Kreski Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



Expanded API support for Librarian workflows and Print Portal automation

The Librarian API in the BarTender .NET SDK has been expanded to support the new workflows solution. In addition, a new Print Portal public REST API is now available to support Print Portal automation.

Librarian API updates

Library Class: This is an existing class.

- New property and methods:
 - **CheckedOutFiles** property
 - GetWorkflow method (String)
 - **GetWorkflow** method (LibrarianFile)
 - **GetWorkflow** method (LibrarianRevision)
- Deprecated property:

• Workflow: We recommend that you update your code to call a new GetWorkflow method. LibrarianFile Class: This is an existing class.

- New methods:
 - **TransitionWorkflow** method (String, String)
 - **TransitionWorkflow** method (WorkflowTransition, String)
- Deprecated method:
 - **ChangeWorkflowState**: We recommend that you update your code to call a new **TransitionWorkflow** method.

LibrarianRevision Class: This is an existing class.

- New properties and methods:
 - AvailableWorkflowTransitions property
 - **RevisionWorkflowState** property
 - **TransitionWorkflow** method (String, String)
 - TransitionWorkflow method (WorkflowTransition, String)
- Deprecated method:
 - **ChangeWorkflowState**: We recommend that you update your code to call a new TransitionWorkflow method.

LibrarianWorkflow Class: This is an existing class.

- New properties:
 - **DenyAll** property
 - Name property
 - **RevisionNumber** property

LibrarianWorkflow Class: This is a new class.

ApproveTransition Class: This is a new class.


RejectTransition Class: This is a new class.

WorkflowTransitionCollection Class: This is a new class.



Print Portal public REST API

The Print Portal public REST API is available for your Print Portal automation needs. After you install Print Portal, you can access the API reference and examples by using the Print Portal Swagger user interface. Swagger is a set of open-source tools built around the OpenAPI Specification that can help you design, build, document and consume REST APIs.



<u>Kr</u> eski
Zapraszamy do kontaktu!
Więcej informacji: www.kreski.pl



Improved business continuity and disaster recovery support

BarTender 2021 supports new licensing server redundancy configurations and automatic restart functionality to ensure uninterrupted print production.

Licensing server redundancy

BarTender 2021 includes a licensing server redundancy solution that provides automatic failover to keep your print production environment running seamlessly in the event that one licensing server fails.

You can configure redundancy by setting up licensing servers in a backup relationship that uses two servers or in a triad relationship that uses three. Then, if the BarTender client cannot reach the main or primary server for any reason, the client automatically connects instead to the other servers in the relationship.

- **Backup relationship**: In a backup relationship, you configure a main licensing server and a backup licensing server. These servers host different licenses but share the same settings. The data is periodically synchronized between the main server and its backup server so that the backup server can take over the responsibility of the main server when needed.
- **Triad relationship**: In a triad relationship, you configure three licensing servers to act as primary, secondary and tertiary servers. These servers host the same licenses and share the same settings, so they behave like a single server.



For more information about the backup and triad redundancy relationships, refer to the *License Server Redundancy* document at the following website:


www.SeagullScientific.com/media/2093/license_server_redundancy.pdf



Więcej informacji: www.kreski.pl



You manage server redundancy on the **Redundancy¹⁵** page in Administration Console.



Automated restart of monitored databases

Improvements are made in the performance of Database integrations in Integration Builder. The Database integration will now restart itself automatically in instances when the integration stops after the monitored database becomes temporarily unavailable due to database maintenance or a lapse in network connectivity. This eliminates the need for you to manually restart the integration after this happens.



 \times

Expanded database options

BarTender 2021 provides several new database option improvements.

New database types

- Microsoft Excel Online
- JavaScript Object Notation (JSON)
- Google Sheets
- Intuit QuickBooks Online¹⁷

You can connect to these new types by using the Database Setup wizard.

🔋 Database Setup Wizard

Select Database Type

This wizard enables you to connect to a variety of relational database systems and data file types. Select the type of database: MariaDB Supports MariaDB 5.5 and later. PostgreSQL Supports PostgreSQL 9.0 and later. QuickBooks Online ab Supports QuickBooks Online. SAP IDoc File SAP Supports SAP Intermediate Document (IDoc) files. **OLE DB Connection** OLEDB Connects to any database type with an installed OLE DB driver. **ODBC Connection** ODBC Connects to any database type with an installed ODBC driver. < Back Next > Finish Cancel



Embedded sample data for text and XML database connections

Support is added for embedded sample data in text and XML database connections. This means that when you use the Database Connection Setup wizard to connect to a text or XML database, you can now embed sample database data directly into the wizard. No external sample data file is required when you do this.

Other improvements

In the **Database Setup** dialog, a **Row¹⁸** column is added to the record browser that appears on the **Record Browser** property page. This column specifies row numbers for the data, similar to the numbering that is available in the record picker control for data entry forms.

🗐 birds_fixedwidth	Recor	d Browser			
SQL Statement	The con				
Tables	Enter	text to search			Q
Fields			1	1	~
A ↓ Sort Order	Row	Field 1	Field 2	Field 3	
T Filter	1	12345678	Summer Tanager	California	
	2	23456789	Say's Phoebe	California	
Options	3	12378900	Pileated Woodpec	Washington	
예D Records Per Item	4	23489045	Barred Owl	Washington	
🧟 Record Browser	5	23445623	Yellow-headed Bla	Idaho	
	6	23489044	Least Bittern	Georgia	
	<			> 44 -44 -4	Record 1 of 6 🕨 🗰 🗰
≅ × c				ОК	Cancel Help

The BarTender **/d** command-line parameter is expanded to support not only text files but also XML, JSON, SAP IDoc and Excel database connections. The **/dd** parameter is also modified to automatically delete all files that were specified by a **/d** parameter when BarTender is finished with them.



Barcode updates

BarTender 2021 includes the following updates for barcodes.

Support for GS1 Version 20 specification

The GS1 Application Identifiers (AIs) are updated to the GS1 version 20 specification, updating AI 00, AI 242, AI 250, AI 330, AI 335, AI 336, AI 340, AI 362, AI 363, AI 367, AI 368, AI 369, AI 400, AI 421, AI 427, AI 7001, AI 7002, AI 7030, AI 7039, AI 8003, AI 8005, AI 800, AI 8009, AI 8200, AI 90-99.

Expanded Data Matrix sizing options

The Data Matrix symbol now supports the extended rectangular Data Matrix (DMRE) symbology specification.

BarTender Designer improvements


Additional improvements are made to BarTender Designer, including the following.

New data source options

With the following additions, BarTender 2021 expands its wide range of data sources that you can use to add content to your template objects.

Print Job Field: Database File Name

A new Print Job Field data source type is added for "Database File Name."¹⁹ Now, the name of the database file that the BarTender document is connected to can be displayed as a print job field for a text object on a template.





Color

Data-sourced color is now supported for all template objects, for any property of the object that supports color. You can use this new data source any time you want to change the color of an object dynamically. For example, your company might create gym membership cards that are color coded based on membership type.

If the member information, including the membership color, is stored in a connected database, you can configure the color stripe to dynamically change to the correct color for each member. To do this, you configure the border and fill colors of the rectangular box to use the color that is set by the appropriate "color" database field in the connected database. Then, when you print the document, the color that is printed matches the membership type of the club member.

Libraries

Use the new Libraries data source to read data from a phrase library, which is a specialized data table that is contained in a Data Builder database. It includes frequently used text that can be translated, so that you can print a template design in different languages.


For more information, refer to the **Phrase Libraries** chapter of this technical document.

Image support in dynamic embedded tables

The object in each cell of a dynamic table object can be static or can reference one or more field values. Now, even data-sourced pictures can be based on the field values in the table data records, as shown in the following template design and print preview of the document.








ltem	Туре	Origin	Image
Oranges (Jaffa)	Perishable	WA	
Oranges (Blood)	Perishable	CA	
Apples (Fuji)	Perishable	WA	
Apples (Gala)	Perishable	WA	۹.



New color picker and support for PANTONE® colors

BarTender 2021 introduces a new interface for color selection in BarTender Designer. The Color Picker makes it easy to design and reuse colors throughout your BarTender documents and includes support for PANTONE[®] colors, inputting HEX values, selecting recently used and current colors used. You can also use the new eyedropper feature to pick the color that you want from an existing color that is displayed in BarTender Designer.

STANDARD PANTONE CUSTOM	DOCUMENT	<<	STANDARD	PANTONE	сиѕтом	DOCUMENT	<<
None		×	None				ß
	Color Model: RGB	~	Search for color				
	<u>R</u> ed: 25	-	PANTONE® PLUS P PANTONE® PLUS So		ated		~
	<u>G</u> reen: 194	-	PANTONE® PLUS So PANTONE® PLUS Pa	olid Uncoated	- 4		
	<u>B</u> lue: 169	-	PANTONE® PLUS Pa	astels & Neons Unco			
	H <u>e</u> x: 19C2A	9	PANTONE® PLUS M PANTONE® PLUS Pr		ated		
			PANTONE® FHI Pap				
	Nev	v	PANTONE® FHI Cott PANTONE® FHI Nylo				
			PANTONE Silver				
			PANTONE 1010	6 C			
	Curre	nt	PANTONE 1010	7 C			
			PANTONE 1010	8 C			
			PANTONE 1010	9 C			~
Gr <u>a</u> dient, Pattern, or Texture							



STANDARD	PANTONE	сиѕтом	DOCUMENT	<<
Colors used in this doo	ument:			
RGB = 255, 78, 2	246			
RGB = 0, 70, 12	9			
PANTONE 922 U	J			



Automation support for dynamic embedded table objects

You can now use automation to dynamically change the record set for a table object database by using BTXML and the Integration Platform. The following changes to BTXML and the Integration Platform support this new feature.

BTXML changes

To change the data source of a database-bound table object, you must use the Name attribute of the <RecordSet> element to specify the name of the database connection. The Name attribute is not optional for table object database connections, unlike document-level database connections.

Table object database changes are temporary and are reverted after the print job runs.

Integration Platform changes

The **Print Document**²⁰ which you can configure in BarTender Designer, Integration Builder and Process Builder, is updated. In the **Database Overrides**²¹ section on the **Print Options** tab, you can now specify the name of the database that you want to override.

😫 🗮 🖛 🖛 🔻	IntegrationFile.btin - BarTender Integration Builder –	
Copy Integration Print Ac	Manage Tools	8
Integrations	Document Print Options Named Data Sources Query Prompts Action <u>P</u> rompt for data input Media Handling Media Handling 	
File Integration 	Action: Use Driver's Settings Database Overrides Databases: Action: Databases: Databases:	
 P Input Data (x) Variables ✓ L Actions 	Database to override: products_B Data Source: Integration Input Data	
Print Document	Verification Options Queue print job and continue immediately Image: Verify the print job has been processed before continuing Verify the print job has been printed before continuing	=
	Magimum wait time 5 \$ Seconds Place Response in Variable: %Response% Include print gata Include print gummary Place Output File Name in Variable:	•



Data Entry Form improvements

With the following additions, BarTender 2021 continues to add options for configuring your data entry forms and controls:

"Remember search" and "Remember filter" options

Several data entry controls (record picker, list box, dropdown record picker and dropdown list box) now have **Remember search** and/or **Remember filter** options.²²

Default selection in the record selector

A new option for the record picker and dropdown record picker controls is added so that you can specify a default selection²³ for the BarTender **Select Records** dialog. Available options include **First Record, Last Record, All Records, No Records** and **Select at print time** for a default setting. The record picker control has an additional option for **Remember selection for next time**. When you select this option, the control will automatically select the records that were selected for the previous print job when the document is printed again.

"Show Borders" option

For data entry controls that support borders (such as the text input box, list box, date picker and so on), a new **Show Border** option is added, which you

	Type: Multiple C	Columns 🗸 🗸	
List Box 1	Size		
E List Box	Width:	1.501 in	
∰ Columns ∳Ξ List Items	Height:	0.418 in	
A Text Label	Show border		
See Linked Data Source			
- 🗃 Data Entry 	Features Search Control:	AL	✓ ✓ Remember search
Position		Always Show	
	Filter Row:	Hide by Default	✓ ✓ Remember filter
	Show column h		
	Lock column w		
	Group By:	None	V Locked
	Sort By:	None	✓ Locked
	Row Highlighting:		
	Record numbe		
	Record naviga	tor	
Record Picker Properties			
1	Data Entry Optio		
🛱 🖥 📙 Record Picker 1	Erequency: On	ce at Start of Print Job	~
1	Erequency: On		 ✓ ✓
	Erequency: On Default: All	ce at Start of Print Job	×
Columns Columns Text Label Linked Data Source	Erequency: On Default: All	ce at Start of Print Job Records	
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont	Erequency: On Default: All Remember se Focus Behavior – Move focus betw	ce at Start of Print Job Records Jection for next time.	- 3
Record Picker 1 Record Picker 1 Columns A Text Label See Linked Data Source Data Entry	Erequency: On Default: All Remember see Focus Behavior Move focus betw Enter key	ce at Start of Print Job Records Jection for next time. een controls when: is pressed	-3
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont	Erequency: On Default: All Remember see Focus Behavior Move focus betw Enter key Arrow key	ce at Start of Print Job Records Jection for next time.	-3
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	-3
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	-3
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	✓3
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	2
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	2
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	2
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	
Record Picker 1 Record Picker 1 Columns A Text Label Data Entry AF ont		ce at Start of Print Job Records Recor	
Record Picker 1 Record Picker Record Picker Columns A Text Label Data Entry A? Font		ce at Start of Print Job Records Recor	✓

can use to show or hide the borders of the control. One use for this option might be a scenario in which a data entry form control is configured to prompt the print operator to input data for every database record, where you might want to provide an indication of which database record is the currently selected one. To do this, you can link a text input box control to the database field that you want to monitor and configure the control to be read-only. You can use the new **Show Border** option to remove the borders of the text input box to make it more readable at print time.

Default "Back" button on data entry forms

A default **Back** button is automatically added to all data entry forms that follow the first form when you have configured two or more forms for your document. Print operators can use this new button to page backwards through multiple forms if they need to change the entered data for a control rather than having to start over.



Printer-related improvements

BarTender 2021 introduces several new options and features for printing your documents.

Print dialog options

The following changes were made to the Print dialog in BarTender Designer:

• Save document after print job: This new option specifies that when a document has been modified (such as by using serialization), a copy of the document is saved after the print job runs to a location that you specify. (A common modification is when a data source changes due to serialization, but there can also be

Repeat data entry <u>u</u> ntil cancelled Cancel any jobs previously <u>q</u> ueued to this printer Enable data entry Enable printer <u>c</u> ode modifier					
Enable data entry					
Enable printer <u>c</u> ode modifier					
Open file at end of print job					
Save document after print job (if modified)					

changes to position or other object properties, such as when you use VBScript.)

• **Open file at end of print job**:²⁴ This option was renamed from "Show printer code at end of print job." It is now automatically selected when you print to a file, such as a PDF.

Support for printer shape cutting

Cut Path is a new option that you can select on the property page for shape, box, line and picture objects. This option specifies that label printers that have a built-in cutting plotter will cut around the selected object.

Other Improvements

Predefined stocks are added for Toshiba TEC printers. These stocks are exposed on the **Predefined Stocks** mini-tab on the **Stock** tab in the **Page Setup** dialog.

For continuous inkjet (CIJ) printers, BarTender is updated so that users can now change the width of a predefined raster size to accommodate CIJ printing.

Some printers can print the abbreviated day of the week (such as "Fri" for "Friday") by using the printer clock. Support is added in BarTender for this date format.

Some printers can print a one-digit year by using the printer clock. Support is added in BarTender for this date format.



Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl



~

New comment property for reprinting

A new comment property²⁵ makes it possible for users to add a comment when they reprint documents by using Reprint Console and History Explorer.

You can even require that users enter a comment by clicking to select the **Require a comment when reprinting jobs**²⁶ check box on the **Print Job Logging** page in Administration Console.

Reprint Job [lestdocument.btwj	^
BarTender S	Server	
	Select the computer that originally printed the selected item(s) or select another computer for printing.	
Computer:	Use Original (desktop-s1c0gtt)	~
Printer		
	Select the printer that originally printed the selected items(s) or select another printer.	
<u>N</u> ame:	Use Original (Microsoft Print to PDF)	~
Model:	Microsoft Print To PDF	
Port:	PORTPROMPT:	
Location:		
Comment:		
Quantity		
Copies:	1	
_	· •	
Comments		
	Print Cancel Help	
System	n Database > Print Job Logging	

✓ Log print job information
 Reprint
 ✓ Include data required to reprint jobs
 □ Require a comment when reprinting jobs

Option to turn off printer redirection

An option is added on the **Printer Setup** page in Administration Console that you can use to turn off printer redirection. There are several scenarios in which you might want a print job to fail rather than be redirected to a different printer (for example, when a printer name is misspelled or when you want to know that a printer has gone into an error state). This new option supports these scenarios by allowing such print jobs to fail.

Printer Setup

✓ Use printer redirection	n and failover settings
---------------------------	-------------------------

-
Lav
 100

25


- 🖶 Microsoft Print to PDF
- Microsoft XPS Document Writer
- OneNote for Windows 10



Security improvements

Template for user permissions

A new **Set as template for new users**²⁷ feature makes it possible to specify that every new user or group that you add is automatically assigned the same permissions as a particular existing user or group. This feature can save time when you need to add multiple users or groups that are to have the same permissions. This new feature is located on the **User Permissions** page under the **Security** node in Administration Console. To access it, right-click the user or group that you want to use as a template.







Improved encryption key management

Improvements in encryption key management include the ability to name²⁸ your encryption keys, which improves security and helps you identify the key that you want when you have many keys.

💮 BarTender Administration	Console						—		\times
Printer Setup File Locations	Security > Document Encryption								
	Encryption Key Name	Date Created	Comments						
SAP IDoc Definitions	RK_Document	8/12/2020 8:46:50 PM	Encryption for sensitive material						
Data Providers									
✓ Integrations									
Deployment									
Servers		👩 Add Document	t Engenetien Kau						
Message History		Ma Add Document	сепстурион кеу —						
Cloud Storage	Encryption Key Name:								
User Permissions		encryption key.							
Logging									
Electronic Signatures		Comments:							
Document Encryption									
	Add Delete	Pr	OK	Cancel					
Printer Usage									_
User Activity	A Warning! If you lose or delete a key that was used to encrypt a document, you will no longer be able to use that document.								
License Setup	A warming, in you rose or delete a key that was used to encrypt a document, you will no longer be able to use that document.								
Redundancy	Encrypt documents when saving								
Alert Setup	L Encrypt documents when saving								
	Encryption Key Name:								
Print Job Logging Maintenance	To view or modify the document encryption key used to encrypt existing documents, use the Document Encryptor utility.								
Administrative Tasks	,				OK	Apply Ca	ncel	Help	р

You can subsequently view the encryption key and view or edit the comments for a key. To do this, click the key that you want in the list and then click **Properties**²⁹ to open the **Document Encryption Key** dialog³⁰ for the selected key. Click and hold the 🐷 icon to view the key.

💮 BarTender Administration C	Console			- 🗆 ×
Printer Setup	Security > Docum	nent Encryption		
File Locations		21		
 Database Connections 	Encryption Key Name	Date Created	Comments	
SAP IDoc Definitions	RK_Document	8/12/2020 8:46:50 PM	Encryption for sensitive material	
Data Providers	Staging	8/12/2020 8:56:46 PM	Pending release	
 Integrations 				
Deployment			O Document Encryption Key - X	
Servers			🙍 Document Encryption Key — 🗆 🗙	
Message History			Key Name:	
Cloud Storage			Staging	
 Security 			Encryption Key:	
User Permissions		୍ କ୍ କ	••••	
Logging			Comments:	
Electronic Signatures			Pending release	
Document Encryption			OK Cancel	
	Add Delete	Properties		
Printer Usage				
User Activity	Warning! If you	lose or delete a key that was	used to encrypt a document, you will no longer be able to use that document.	
License Setup	_			
Redundancy	Encrypt documents when saving			
Alert Setup		-		
 System Database Print Job Logging 	Encryption Key Name:			
Maintenance	To view or modify the document encryption key used to encrypt existing documents, use the Document Encryptor utility.			
Administrative Tasks			OK Apply	Cancel Help
Administrative lasks			ОК Арріу	Cancer Help



Integration message logging

BarTender 2021 includes new integration message logging options so that administrators can choose whether to log integration events and actions.³¹ For large load configurations, these new options help you manage the size of the system database. These logging options are exposed on the **System Database** page in Administration Console.

💮 BarTender Administratio	n Console		_		×
Printer Setup	System Database				
File Locations Database Connections					
SAP IDoc Definitions	Database Connection				
Data Providers	Server: Ba	arTender is currently using a centralized System Database.			
✓ Integrations		connect to a different System Database, run the System Database Wizard.			
Deployment	Database:				
Servers	Schema Version: Status: Connected				
Message History	Status: Connected				
Cloud Storage	Message Logging				
- Security	Log messages to System Database				
User Permissions					
Logging	Severity level:				
Electronic Signatures	Log messages to Windows Event Log	31			
Document Encryption	Severity level:				
Printer Usage	Integration Message Logging				
User Activity	Log integration events				
License Setup					
Alert Setup	Include variable values for each event				
 System Database 	Failed integrations only				
Print Job Logging	Log actions				
Maintenance					
Administrative Tasks	Include variable values for each event				
Windows Services	Failed integrations only				
	Cache Options				
	Cache log to disk if database connection is lost				
	Stop caching if free disk space is less than 0 🗘 MB				
		OK Apply Ca	ncel	Hel	р

<u>Kr</u> eski	
Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl	



Action-related improvements

Improved While Loop action

The properties for the **While Loop** action are now better defined by using two properties tabs.

The **Action** tab is added and includes the conditions that determine when the **While Loop** action is started. These properties were previously located on the **While Loop** tab.

While Loop Act	tion			
Action				
Na <u>m</u> e:	While Loop			
<u>D</u> escription:				
Run Action:	O Always			
○ Never				
Conditionally, based on <u>v</u> ariable				
Conditionally, based on expression				
User Account				
Inherit from parent action [NT AUTHORITY\SYSTEM]				
Specify user	r credentials			
Error Handling	and Diagnostics			
Ignore errors and <u>c</u> ontinue running actions				

The **While Loop** tab is updated to include only the conditions that determine how long the action will continue to loop and run the sub-actions that it contains.

While Loop	Action		
Options			
Run:	Run: OWhile variable meets condition		
While expression meets condition			
	Forever (unless Stop or Go To action is executed)		




Print Batch action renamed to BarTender Process

The Print Batch action is renamed to "BarTender Process." This action can now print multiple BarTender documents in a Process Builder process file (.btproc) or a legacy Batch Maker batch file (.btbat).

PowerShell Script Editor

A new PowerShell Script Editor is available from the Power Shell Command action. You can use this editor to create and edit Windows PowerShell commands when the action is configured to use embedded commands.





PowerShell is also added as a syntax highlighting option for the Visual Basic Script Editor. This new feature allows more of the script to be visible in the user interface.



Related documentation

Technical documents

- Administration Console
- BarTender Print Portal
- BarTender Librarian
- Understanding Librarian Workflows
- Using GS1 Application Identifiers
- License Server Redundancy

To view and download technical documents, visit www.seagullscientific.com/resources/white-papers/

Manuals

Getting Started with BarTender

BarTender help system

- Administration Console
- Print Portal
- Librarian
- Table Object

Other resources

Please visit the BarTender website at www.SeagullScientific.com.

Kreski

Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl





Create and automate labels, barcodes and more









lal	pels
-----	------

- barcodes
- RFID

cards

Kreski Zapraszamy do kontaktu! Więcej informacji: www.kreski.pl

Download BarTender 2021 at portal.seagullscientific.com/downloads

